AUTHOR INDEX, VOLUME 20

Abasov, S. A.: see Bagirov, M. A.
Abbas, K. B., and Porter, R. S.: Shear Degradation of Polyisobutene, 1289
—— and ——: Polystyrene Degradation in Model Extrusion Experiments, 1301
—— and Sorvik, E. M.: On the Thermal Degradation of Poly(vinyl Chloride). IV. Initiation Sites of Dehydrochlorination, 2395
Abdel-Fattah, S. H.: see Hebeish, A.
——, Allam, E., and Moharram, M. A.: Some Physicochemical Properties of Methyl Methacrylate-Grafted Nylon 6. II., 1049
Abd-El-Hakim, A. A.: see Moustafa, A. B.
Abou-Zeid, N. Y.: see Shalaby, S. E.
Achwal, W. B., Joshi, S. M., and Karmakar, S. R.: Studies in Swelling of Cotton. I. Neutral Salt Technique to Determine the True Swelling Parameters in Cadoxen, 2347
Adicoff, A.: see Woodman, A. L.
——: see Yee, R. Y.
—— and Yee, R.: Conversion Factors in Dilatometric Data of Polymerization Reactions, 2473
Aharoni, S. M.: Molecular Stiffness and Thermal Properties of Polymers, 2863
Ai, B.: see Segui, Y.
Akovali, G., Biliyar, K., and Shen, M.: Gradient Polymers by Diffusion Polymerization, 2419
Alaminov, H., Markova, R., and Slavova, S.: Investigation on Curing and Destruction of Crosslinked Modified Phenolformaldehyde Polymers, 1533
Alince, B., Inoue, M., and Robertson, A. A.: Latex-Fiber Interaction and Paper Reinforcement, 2209
Allam, E.: see Abdel-Fattah, S. H.
——: see Shalaby, S. E.
Allen, N. S., and McKellar, J. F.: Photochemical Reactions in an MDI-Based Elastomeric Polyurethane, 1441
——, Homer, J., and McKellar, J. F.: Luminescence from Thermally Oxidized Polypropylene in Relation to Its Light Stability, 2553
——, McKellar, J. F., and Chapman, C. B.: Formation of Luminescent Impurities During the Polymerization of Nylon 66, 1717
Amari, T., and Nakamura, M.: Viscoelastic Properties of Aqueous Solutions of Amylose-Iodine Complex at Ultrasonic Frequencies, 2031
Ambler, M. R.: The Ultrafiltration of Solutions of Polymers Containing Microgel, 2259
Aoki, Y., and Brittain, J. O.: Thermally Stimulated Discharge Current Studies on Low Temperature Relaxation in Polycarbonate, 2879
Arai, K., and Ogiwara, Y.: Preparation of Poly(vinyl Alcohol)-Grafted Ion Exchange Resin and Its Catalytic Activity. I. Photo-Induced Graft Copolymerization of Vinyl Acetate on Ion Exchange Resin, 1989
Artymyshyn, B.: see Jordan, E. F., Jr.
Asahara, T.: see Shiraishi, S.
Asai, H.: see Inagaki, N.
Asano, N.: see Masuda, S.
Athale, A. M., and Padhye, M. R.: Dye-Polymer Interaction in Nylon 66, 403
Avinash, (Mrs.): see Malhotra, H. C.
Babich, V. F.: see Lipatov, Yu. S.
Baer, E.: see Matsushige, K.
Bagirov, M. A., Abasov, S. A., Malin, V. P., and Jalilov, A. Ya.: Effect of Orientation on Electrical Properties of Polymers, 1069
Baird, D. G.: Fluid Elasticity Measurements from Hole Pressure Error Data, 3155
Balasubramaniam, E.: Stress-Strain Properties in the Decrimping Region of Chemically Modified Crimped Keratin Fibers, with Special Reference to the Stability of Crimp Structure, 1
Ballaman, R. L.: see Everage, A. E., Jr.
Bandyopadhyay, S. B.: Fine Structure and Mechanical Properties of Jute Differently Dried After Retting, 1765
Barkakaty, B. C.: Some Structural Aspects of Sisal Fibers, 2921
Baron, R. C., Cerankowski, L. D., Mattucci, N., and Taylor, L. D.: On the Use of Trimethylene Glycol Di-*p*-aminobenzoate as a Curing Agent for Polyurethane Elastomers, 285
Barrall II, E. M.: see Mirabella, F. M., Jr.
Barrie, J. A.: see Spencer, H. G.
Basu, S.: see Mukhopadhyay, R.
Bates, R.: Studies in the Nature of Adhesive Tack, 2941
Bayzeed, A. M.: see Shalaby, S. E.
Benerito, R. R.: see Jung, H. Z.
——: see Soignet, D. M.
——: see Ward, T. L.
Benham, J. V., and Pullukat, T. J.: Analysis of the Types of Amounts of Carbonyl Species Present in Oxidized Polyethylene, 3295
Bentley, P., and McKeller, J. F.: The Photochemistry of 1-Benzoyl-2-naphtol and 6-Hydroxbenzanthrone and their Effect on the Rate of Photo-oxidation of Polypropylene, 1145
Berni, R. J.: see Jung, H. Z.
——: see Soignet, D. M.
Berry, M. B.: see Crugnola, A. M.
Bersted, B. H.: A Model Relating the Elastic Properties of High-Density Polyethylene Melts to the Molecular Weight Distribution, 2705
Betrabet, S. M., and Paralikar, K. M.: Cellulase Dissolution Technique for the Study of Chemically Modified and Crosslinked Cotton, 1651
Bhattacharyya, N., and Lokhande, H. T.: Kinetics of Hydrolysis, Acetylation, and Deamination Reactions on Polyamide Fibers in Heterogeneous Medium, 873
Biasotti, B.: see Taylor, L. D.
Bigg, D. C. H., and Hill, R. J.: The Effect of Plasticizer Solvent Power on the Aging of Poly(vinyl Chloride) Pastes, 565

Biglione, G. F.: see Cigna, G.
Biliyar, K.: see Akovali, G.
Blair, H. S., and McElroy, M. J.: The Dyeing of Secondary Cellulose Acetate, Investigation of the Surfaces of Dyed Fibers by Low-Temperature Nitrogen Adsorption, 2955
Blais, P.: see Dickson, J. M.
——: see Matsuura, T.
Blumentritt, B. F.: see Eagles, D. B.
Bobleter, O., Niesner, R., and Rohr, M.: The Hydrothermal Degradation of Cellulosic Matter to Sugars and their Fermentative Conversion to Protein, 2083
Bodnar, M. J.: see Levi, D. W.
Bolleter, W. T.: see Kohlbeck, J. A.
Boryniec, S.: see Turska, E.
Boyer, R. F.: see Glandt, C. A.
——: see Stadnicki, S. J.
Brady, D. G.: The Crystallinity of Poly(phenylene Sulfide) and Its Effect on Polymer Properties, 2541
Brandt, E. S.: see Yasuda, H.
Brett, C. L.: The Effect of State of Cure on Bond Performance for an Epoxy Resin System, 1431
Brial, J. -C.: see Duclairoir, C.
Brittain, J. O.: see Aoki, Y.
Brizitsky, V. I., Vinogradov, G. V., Isaev, A. I., and Podolsky, Yu. Ya.: Polarization-Optical Investigation of Normal and Shear Stresses in Flow of Polymers, 25
Brodman, B. W., Devine, M. P., and Gurbarg, M. T.: Hydrogen Bonding of Phthalic Acid Esters to Unesterified Hydroxyl Groups in Nitrocellulose, 569
——, —— and Schwartz, S.: Hydrogen Bonding of HMX and RDX to Unesterified Hydroxyl Groups in Nitrocellulose, 2607
Brown, C. W., and Chughtai, M. A.: The Ferric Hydroxide-Hydrazine System as an Initiator of Vinyl Polymerization. II. The Emulsion Polymerization of Methyl Methacrylate, 853
Burger, T. J.: The Surface Energy of Poly(ethylene Terephthalate) Film, 1143
Burghoff, H. G., and Pusch, W.: Thermodynamic and Mechanistic Characterization of Water Sorption in Homogeneous and Asymmetric Cellulose Acetate Membranes, 789
Burr, R. C., Fanta, G. F., Doane, W. M., and Russell, C. R.: Graft Copolymers of Starch and Mixture of Acrylamide and Acrylic Acid, 3201
Bush, J.: see Paik Sung, C. S.
Cabasso, I., Klein, E., and Smith, J. K.: Polysulfone Hollow Fibers. I. Spinning and Properties, 2377
Cabradilla, K. E.: see Zeronian, S. H.
Canepa, P.: see Munari, S.
Cannelong, J. F.: see Granzow, A.
Caro, S. V., Jr., Sung, C. S. P., and Merrill, E. W.: Reaction of Hexamethylene Disocyanate with Poly(vinyl Alcohol) Films for Biomedical Applications, 3241
Carraher, C. E., Jorgensen, S., and Lessek, P. J.: IVA Ferrocene Polyesters, 2255
Cerankowski, L. D.: see Baron, R. C.
Cakravarty, A. C.: see Ray, P. K.
Chapman, C. B.: see Allen, N. S.
Chee, K. K., and Yap, Y. H.: Polymer Flow Through Capillaries of Variable Diameter, 1313
——, Sato, K., and Rudin, A.: Falling Coaxial Cylinder Viscometer for Polymer Solutions, 1467
Chen, A. C. F., and Williams, H. L.: Studies of Polymeric Systems for Absorbing Airborne Sound, 3387
—— and ——: Studies of Polymeric Systems for Damping Vibrations in the Sonic Range, 3403
Chian, E. S.: see Fang, H. H. P.
Chidambareswaran, P. K., Patil, N. B., and Sundaram, V.: Order in Cellulose Fibers, 2297
——, Sreenivasan, S., Patil, N. B., Sundaram, V., and Srinathan, B.: X-Ray Diffraction Studies on Cotton/Jute Blends, 3443
Chow, C. D.: Molecular Weights of Styrene-Maleic Anhydride Copolymers, 1619
Christopher, P. C.: Gel Permeation Chromatography Method for GPC System Definition and Performance Evaluation, 2989
Cudasama, V. P.: see Kulshreshtha, A. K.
Chughtai, M. A.: see Brown, C. W.
Cigna, G., Matarrese, S., and Biglione, G. F.: Effect of Structure on Impact Strength of Rubber-Reinforced Polystyrene, 2285
Clark, D. B., and Rodriguez, F.: A Comparison of Drag Reduction for Flows in Circular Tubes with Flow Between Parallel Planes, 315
Cochoy, R. E.: Poly(perfluoroether) Oxadiazole Elastomer System Cured with Terephthalonitrile Oxide, 1035
Collins, E. A.: see Nakajima, N.
Collins, J. D.: see Hemming, D. F.
Connelly, T. M., Jr., and Gillham, J. K.: Polyphosphazenes: Thermomechanical Transitions, 473
Cooper, S. L.: see Eagles, D. B.
Coran, A. Y., and Patel, R.: Predicting Elastic Moduli of Heterogeneous Polymer Compositions, 3005
Corn, J. E.: see Kambour, R. P.
Cousins, R. R.: A Theory for the Impact Behavior of Rate-Dependent Padding Materials, 2893
Crugnola, A. M., Radin, E. L., Rose, R. M., Paul, I. L., Simon, S. R., and Berry, M. B.: Ultrahigh Molecular Weight Polyethylene as Used in Articular Prostheses (A Molecular Weight Distribution Study), 809
Date, A. G.: see Shenai, V. A.
Datyner, A.: see Hemming, D. F.
Davis, A., Deane, G. H. W., Gordon, D., Howell, G. V., and Ledbury, K. J.: A World-Wide Program for the Continuous Monitoring of Solar UV Radiation Using Poly(phenylene Oxide) Film, and a Consideration of Results, 1165
De, S. K.: see Mukhopadhyay, R.
Deane, G. H. W.: see Davis, A.
De Candia, F., Taglialatela, A., and Vittoria, V.: Structure-Property Relationships in Crosslinked Networks from *cis*-1,4,Polybutadiene Methacrylic Acid. Swelling Behavior, 831
——, ——, and ——: Structure-Property Relationships in Some Composite Systems. Deformation Mechanism, 1449

Decker, C.: Oxidative Degradation of Poly(vinyl Chloride), 3321
DeGisi, S. L., and Neet, T. E.: Predicting the Compressive Properties of Rigid Urethane Foam, 2011
Desper, C. R.: see Schneider, N. S.
Devine, M. P.: see Brodman, B. W.
Dewhare, A. R., and Roy-Chowdhury, P.: The Adiabatic Compressibility of Polyelectrolytes: Sodium and Hydrochloride Salts of Acrylic Acid-N-Dimethylaminoethyl Methacrylate Copolymer, 1673
Dezelic, G.: see Kunst, B.
Dickson, J. M., Matsuura, T., Blais, P., and Sourirajan, S.: Some Transport Characteristics of Aromatic Polyamide Membranes in Reverse Osmosis, 1491
Doane, W. M.: see Burr, R. C.
——: see Gugliemelli, L. A.
Draganov, A.: see Konstantinova, T.
Ducháček, V.: Effect of Zinc Oxide Concentration on the Course of Thiuram-Accelerated Sulfur Vulcanization, 71
Duclairoir, C., and Brial, J. -C.: Analyse par Resonance Magnetique Nucleaire des Polycondensats Uree-Formol, 1371
Duda, J. L.: see Vrentas, J. S.
Dunlap, R. W.: see Reinshagen, J. H.
Dunlop, A. N., and Williams, H. L.: Dynamic Rheological Properties of Polyisobutylene, 193
Dweltz, N. E.: see Kulshreshtha, A. K.
——: see Venkatesh, G. M.
Eagles, D. B., Blumentritt, B. F., and Cooper, S. L.: Interfacial Properties of Kevlar-49 Fiber-Reinforced Thermoplastics, 435
El-Nagawy, A. F.: see Farag, A. A.
El-Rafie, M. H.: see Hebeish, A.
Everage, A. E., Jr., and Ballaman, R. L.: Extensional Viscosity of Amorphous Polystyrene, 1137
Fall, H. H.: Axeotropic Graft Polymerizations of Dienes and Acrylonitrile onto Poly(propylene Oxide), 825
Fang, H. H. P., and Chian, E. S. K.: Optimization of NS-100 Membrane for Reverse Osmosis, 303
Fanta, G. F.: see Burr, R. C.
Farag, A. A., Farag, H. A., Sedahmed, G. H., and El-Nagawy, A. F.: Diffusion in Aqueous Polymer Solutions, 3247
Farag, H. A.: see Farag, A. A.
Fetters, L. J.: An Examination of the Dow and NBS 705 Polystyrene Standards via Gel Permeation Chromatography, 3437
Fink, G., Rottler, R., Schneli, D., and Zoller, W.: Elementary Steps in Ziegler-Natta Catalysis, 2779
Fleischfresser, B. E., and Freeland, G. N.: Measurement of External Specific Surface Area of Fibers by Solution Adsorption, 3453
Freedman, B.: Photodegradable Vinyl Plastics. II. Effect of Arylmethyl Halides, Phenyl Halomethyl Ketones, and Haloalkne Additives, 911
——: Photodegradable Vinyl Plastics. III. Comparison of Ultraviolet Light and Sunlight Exposure, 921
—— and Diamond, M. J.: Photodegradable Vinyl Plastics. I. Effect of N-Halogen Additives, 463
Freeland, G. N.: see Fleischfresser, B. E.
Fujisawa, Y.: see Ohishi, F.
Fujiwara, Y.: see Nakagawa, T.
Furukawa, J.: see Ishibashi, T.
Garcin, M.: see Paul, D. R.
Garmon, W. E.: see Paul, D. R.
Geetha, C. K.: see Varma, I. K.
Ghanem, N. A.: see Moustafa, A. B.
Ghesquiere, A.: Theoretical Model for the Elastic Behavior of Composites Reinforced with Short Fibers, 891
Gillham, J. K.: see Connelly, T. M., Jr.
——: see Glandt, C. A.
——: see Kiran, E.
——: see Stadnicki, S. J.
—— and Schoff, C. K.: Structure-Property Relationship in Bibenzoxazole Polymers Containing Fluocarbon Linkages, 1875
Glandt, C. A., Toh, H. K., and Gillham, J. K.: Erratum to "Effect of Dispersity on the Tu(Tg) Transition in Polystyrene," 2009
——, ——, —— and Boyer, R. F.: Effect of Dispersity on the Tu(Tg) Transition in Polystyrene, 1277
Glucklich, J., and Landel, R. F.: The Tearing Test as a Means for Estimating the Ultimate Properties of Rubber, 121
Goldberg, V. M.: Comments on the Paper by J. B. Lawrence and N. A. Weir, "The Kinetics of Atactic Polystyrene Oxidation in Solution," 2581
Goldblatt, P. H., and Porter, R. S.: A Comparison of Equations for the Effect of Pressure of the Viscosity of Amorphous Polymers, 1199
Gonzalez, H., Jr., and Stowell, W. J.: Development of an Autographic Falling-Weight Impact System, 1389
Gordon, D.: see Davis, A.
Goring, D. A. I.: see Sakata, I.
Goto, Y.: see Hakano, S.
Gouinlock, E. V., Wolfe, R. A., and Rosenfeld, J. C.: Copolyester Sequence Distribution by 60, 100, and 220 MHz PMR, 949
Granzow, A., and Cannelongo, J. F.: The Effect of Red Phosphorus on the Flammability of Poly(ethylene Therephthalate), 689
Gugliemelli, L. A., Swanson, C. L., Doane, W. M., and Russell, C. R.: Latexes of Starch-Based Graft Polymers Containing Polymerized Acrylonitrile, 3175
Gupta, V. B.: The Fracture Surface of Poly(ethylene Terephthalate) Fiber as Revealed by Scanning Electron Microscopy, 2005
—— and Sudarshana, G. R.: Correlation Between Creep and Dyeability of Fibers, 345
Gur-Arieh, Z., Ingamells, W., and Peters, R. H.: The Effect of Plasticizing Compounds on Acrylic Fibers, 41
Gurbarg, M. T.: see Brodman, B. W.
Hagnauer, G. L., and LaLiberte, B. R.: Poly[bis(*m*-chlorophenoxy)phosphazene]. Macromolecular Characterization and Degradation Studies, 3073
Hakano, S., and Goto, Y.: Method for Correcting Molecular Weight from Gel Permeation Chromatography. II. Long-Chain Branching Correction of Low-Density Polyethylenes, 3313
Han, C. D.: see Kim, Y. W.
—— and Kim, Y. W.: Studies on Melt

Spinning. VI. The Effect of Deformation History on Elongational Viscosity, Spinnability, and Thread Instability, 1555
—— and ——: Further Observations of the Interface Shape of Conjugate Fibers, 2609
—— and ——: Use of the Coextrusion Technique for Producing Flame-Retardant and Antistatic Fibers, 2913
——, —— and Malhotra, K. D.: A Study of Foam Extrusion Using a Chemical Blowing Agent, 1583
Handlos, V. N., and Singer, K. A.: Gel Formation in Polymers Undergoing Radiation-Induced Crosslinking and Scission, 3375
Hansen, M. G.: see Nazem, F.
Happey, F.: see Shenouda, S. G.
Harwell, K. E.: see Wright, H. J.
Hatakeyama, H.: see Yano, S.
Hatakeyama, T.: see Yano, S.
Hauserman, R. G., and Johnson, M.: Diffusion of Stabilizers in Polymers. III. 2,4-Dihydroxybenzophenone and 2-Hydroxy-4-Octoxybenzophenone in Polyurethanes, 2533
Hayashi, K.: see Kuwajima, T.
Hebeish, A.: New Catalyst System for Easy-Care Cotton Finishing, 2631
——: see Kamel, M. M.
——, Abdel Fattah, S. H., and El-Rafie, M. H.: Thioures-Induced Graft Polymerization of Methyl Methacrylate onto Wool in Aqueous Acidic Medium, 3449
Hemming, D. F., Collins, J. D., and Datyner, A.: The Effect of Competitive Adsorption on the Rate of Diffusion, 597
Higashide, F.: see Nozawa, Y.
——: see Yoshioka, H.
Hill, R. J.: see Bigg, D. C. H.
Hirai, A.: see Tsuji, W.
——, Tsuji, W., Kitamaru, R., and Hosono, M.: Structure of Decrystallized Cotton in Fabrics Prepared by Alkali and Acrylonitrile Treatments, 3365
Hodgkin, J. H.: Polyimide Model Compounds, 2339
Hoehn, H. H.: see Pye, D. G.
Homer, J.: see Allen, N. S.
Hornof, V., Kokta, B. V., and Valade, J. L.: The Xanthate Method of Grafting. IV. Grafting of Acrylonitrile onto High-Yield Pulp, 1543
Hosoi, M.: see Ouchi, I.
Hosono, M.: see Hirai, A.
——: see Tsuji, W.
Howell, G. V.: see Davis, A.
Hsu, T.: see Yasuda, H.
Huczkowski, P., Kapko, J., and Polaczer, J.: Grafting of Ethyl α-Cyanacrylate on Poly(vinyl Alcohol), 3215
Huff, T.: Chlorobutyl Rubber-Based High-Impact Polystyrene, 393
Humme, G.: see Morbitzer, L.
Ichijyo, T.: see Nishikubo, T.
Ide, Y., and White, J. L.: The Spinnability of Polymer Fluid Filaments, 2511
Igarashi, K.: see Toi, K.
Ihara, H.: see Kusumoto, K.
Iijima, T.: see Kim, J.-W.
Iisaka, K., and Shibayama, K.: Effect of Orientation of Two-Dimensional Filler on Dynamic Mechanical Properties of Cured Epoxy Resin, 813
Inaba, T.: see Ogawa, T.
Inagaki, N., Nakamura, S., Asai, H., and Katsuura, K.: Phosphorylation of Cellulose with Phosphorous Acid and Thermal Degradation of the Product, 2829
Ingamells, W., and Narasimham, K. V.: The Effect of Phenol and Biphenyl on the Properties of Poly(ethylene Terephthalate) Film, 2271
Inoue, M.: see Alince, B.
Isaev, A. I.: see Brizitsky, V. I.
Ishibashi, T., and Furukawa, J.: Orientierung von Nylon-6 Faden beim Schmelzspinnen, 1421
—— and Ishii, T.: Studies on the Melt Spinning of Nylon 6. II. Effect of Heating the Threadline upon Orientation and Crystallization, 335
Ishihara, H., and Kase, S.: Studies on Melt Spinning. VI. Simulation of Draw Resonance Using Newtonian and Power Law Viscosities, 169
Ishii, M.: see Shiraishi, S.
Ishii, T.: see Ishibashi, T.
Ito, H.: see Suzuki, J.
Ito, T.: see Katayama, S.
Iyer, K. R. K.: see Iyer, P. B.
Iyer, P. B., Iyer, K. R. K., and Patil, N. B.: An Infrared Technique for the Quick Analysis of Cotton-Polyester Blends, 591
Jacovic, M., Yamada, M., MacKnight, W. J., and Porter, R. S.: Rheological Properties of Partially Hydrolyzed Ethylene-Vinyl Acetate Copolymers, 1321
Jagur-Grodzinski, J.: see Shchori, E.
Jalilov, A. Ya.: see Bagirov, M. A.
Janáček, J.: see Kolařik, J.
Jantas, R.: see Turska, E.
Joesten, B. L.: see Wagner, E. R.
Joh, Y.: see Miyanoki, M.
Johnson, E. L.: see Seymour, R. B.
Johnson, J. F.: see Mirabella, F. M., Jr.
Johnson, M.: see Hauserman, R. G.
Jordan, E. F., Jr.: see Mirabella, F. M. Jr.
——, Artymyshyn, B., and Riser, G. R.: Polyblends. III. Correlation of the Viscoelastic Data for Polyblends of NBR and Plasticized Vinyl Chloride Compositions with Theories of Polycomposite Behavior, 2757
——, ——, ——, and Wrigley, A. N.: Polyblends. I. Mechanical Properties of Polyblends of Butadiene-Acrylonitrile Elastomers and Copolymers of Vinyl Stearate and Vinyl Chloride, 2715
——, ——, ——, and ——: Polyblends. II. Isochronal Viscoelastic Parameters for Polyblends of Butadiene—Acrylonitrile Elastomers and Copolymers of Vinyl Stearate and Vinyl Chloride, 2737
Jorgensen, S.: see Carraher, C. E., Jr.
Joshi, S. M.: see Achwal, W. B.
Jung, H. Z., Berni, R. J., Benerito, R. R., and Pilkington, M. W.: Fabric Properties of Butadienediepoxide-Treated Cottons as Affected by Liquid Ammonia Pretreatments, 1905
Kageyama, E.: see Kusama, Y.
Kambour, R. P., Corn, J. E., Miller, S., and Niznik, G. E.: Tough, Transparent Heat- and Flame-Resistant Thermoplastics via Silcone Block-Modified Bisphenol Fluorenone Polycarbonate, 3275

Kamel, M. M., and Hebeish, A.: Behavior of Cellulose Grafted with (Polymethyl Methacrylate) and Polyacrylonitrile Toward Some Direct and Reactive Dyes, 2407
Kanai, T.: see Matsuzaki, K.
Kanamoto, T.: see Nozawa, Y.
Kapko, J.: see Huczkowski, P.
Kaplan, D. S.: Structure-Property Relationship in Copolymers to Composites: Molecular Interpretation of the Glass Transition Phenomenon, 2615
Karmakar, S. R.: see Achwal, W. B.
Kase, S.: see Ishihara, H.
——: see Matsuo, T.
Katayama, S., Murakami, T., Takahashi, Y., Serita, H., Obuchi, Y., and Ito, T.: Synthesis of Alternating Polyamide Esters by Melt and Solution Polycondensations of N,N′-Di(6-hydroxycaproyl) diamines and N-6-Hydroxycaproyl Aminoalcohol with Terephtalic and Adipic Dimethyl Esters and Dichlorides, 975
Kato, K.: Investigation of High-Density Polyethylene Film Surface Treated with Chromic Acid Mixture by Use of 2,4-Dinitrophenylhydrazine, 2451
Katsuura, K.: see Inagaki, N.
Kenney, J. F., and Patel, P. J.: Properties of Alpha-Methylstyrene-Methacrylonitrile Copolymer, 449
—— and ——: Processing Characteristics of Alpha-Methyistyrene-Methacrylonitrile Copolymer, 457
Kikuchi, Y., and Matsuno, A.: Electrochemical Polymerization of Acenaphtylene in Nitrobenzene and Nitromethane, 1711
—— and Noda, A.: Polyelectrolyte Complexes of Heparin with Chitosan, 2561
——, Onishi, Y., and Kodama, M.: Polyelectrolyte Complex of Sodium Dextran Sulfate with Polyethyleneimine, 3205
Kim, J.-W., and Iijima, T.: Diffusion of Dye Mixtures in Nylon 6. Binary Mixtures of Disperse Dyes, 105
Kim, Y. W.: see Han, C. D.
—— and Han, C. D.: Rheological Properties and Microstructure of Multiphase Polymeric Systems, 2905
Kiran, E., and Gillham, J. K.: Pyrolysis-Molecular Weight Chromatography-Vapor-Phase Infrared Spectrophotometry: A New On-Line System for Analysis of Polymers. I. Instrumentation, 931.
—— and ——: Pyrolysis-Molecular Weight Chromatography: A New On-Line System for Analysis of Polymers. II. Thermal Decomposition of Polyolefins: Polyethylene, Polypropylene, Polyisobutylene, 2045
Kishore, K., Pai Verneker, V. R., and Nair, M. N. R.: Thermal Degradation of Polystyrene, 2355
Kitamaru, R.: see Hirai, A.
Klason, C., and Kubát, J.: Thermal and Current Noise in Carbon Black-Filled Polystyrene and Polyethylene in the Vicinity of T_g and T_n, 489
Klei, H. E.: see Sundstrom, D. W.
Klein, E.: see Cabasso, I.
Klimova, M.: see Szocs, E.
Kline, D. E.: see Whiting, D.
Kodama, M.: Mechanical Dispersion of Crosslinked Polymers Reinforced with Randomly Distributed Short Fiber, 2165
——: Effect of Cyclic Loading on the Dynamic Viscoelastic Properties of Crosslinked Polymers Reinforced with Randomly Distributed Short Glass Fiber, 2853
——: see Kikuchi, Y.
Kohlbeck, J. A., and Bolleter, W. T.: Polarization Colors of Nitrocellulose, 153
Kohn, D. H.: see Liebersohn, A.
Kokta, B. V.: see Hornof, V.
Kolařik, J., Janáček, J., and Nicolais, L.: Dynamic Mechanical Behavior of Poly(2-hydroxyethyl Methacrylate)-Glass Beads Composites, 841
Konish, F.: see Morimoto, T.
Konstantinova, T., and Draganov, A.: On the Polymerization of Styrene in the Presence of Vinyl Sulfone Dyes, 351
Koutsky, J. A.: see Racich, J. L.
Koyama, D.: see Ohishi, F.
Kranz, D.: see Morbitzer, L.
Krishnaswami, P., and Yadav, D. P.: Effect of Four Neighboring Groups in Kinetics of Polymer Reactions, 1175
Krishnaswamy, N.: see Mehta, B. J.
Krska, F.: see Snuparek, J.
Kubát, J.: see Klason, C.
——, Rigdahl, M., and Selden, R.: Internal Stresses and Activation Volumes from the Stress Relaxation Behavior of Polyethylene at Low Deformations, 2799
Kubota, H.: see Ogiwara, Y.
——, Ogiwara, Y., and Matsuzaki, K.: Photopolymerization of Methyl Methacrylate in the Presence of Saccharide, 1405
Kulshreshtha, A. K., Chudasama, V. P., and Dweltz, N. E.: Analysis of Cotton Fiber Maturity. II. Glycerol Retention Value of Cotton, 2329
Kunst, B., Skevin, D., Dezelic, G., and Petres, J. J.: A Light-Scattering and Membrane Formation Study on Concentrated Cellulose Acetate Solutions, 1339
Kusakawa, H.: see Ogata, H.
Kusama, Y., Kageyama, E., Shimada, M., and Nakamura, Y.: Molecular Weights and Molecular Weight Distributions of Irradiated Cellulose Fibers by Gel Permeation Chromatography, 1679
Kusumoto, K.: see Mizutani, Y.
——, Ihara, H., and Mizutani, Y.: Preparation of Macroreticular Anion Exchange Membrane and its Behavior Relating to Organic Fouling, 3207
Kuwajima, T., Yoshida, H., and Hayashi, K.: Graft Polymerization of Methyl Methacrylate Onto Gelatin, 967
Kwei, T. K.: see Nishi, T.
Lai, J. H.: Heat Capacity of Random Copolymers of Styrene and Methacrylates, 1059
—— and Shepherd, L.: An Investigation of the Effects of the Molecular Weight Distribution on the Sensitivity of Positive Electron Resists, 2367
Lai, Y. Z.: see Shafizadeh, F.
LaLiberte, B. R.: see Hagnauer, G. L.
Landel, R. F.: see Glucklich, J.
Lawson, D. F.: Investigation of the

Mechanistic Basis for Ferrocene Activity During the Combustion of Vinyl Polymers, 2183
Lawton, E. L., and Murayama, T.: Dynamic Mechanical Properties of Fibers in Liquid Media in Relation to Dyeing, 3033
Ledbury, K. J.: see Davis, A.
LeGrand, D. G.: Rheo-Optical Properties of Polymers: Relaxation and Recovery During Absorption and Desorption of Organic Liquids, 1573
Lessek, P. J.: see Carraher, C. E.
Levi, D. W., Tanner, W. D., Ross, M. C., Wegman, R. F., and Bodnar, M. J.: Effect of Surface Exposure Time on Bonds to Aluminum, 1475
Liebersohn, A., and Kohn, D. H.: Polymers with Pendant Isocyanate Groups. I. Dual Synthesis and Properties of Poly(styrene-co-Styryl Isocyanate), 411
—— and ——: Polymers with Pendant Isocyanate Groups. II., 1795
Lipatov, Yu. S., Babich, V. F., and Rosovizky, V. F.: Effect of Filler on the Relaxation Time Spectra of Filled Polymers, 1787
——, Moisya, E. G., Logvinenko, P. N., and Mengeres, G. Ya.: Structural Changes in Polyethylene Films at Small Deformations, 115
Logvinenko, P. N.: see Lipatov, Yu. S.
Lokhande, H. T.: Deuteration of Cotton Fibers. I. Partially Decrystallized Celluloses, 2313
——: see Bhattacharyya, N.
Lubert, W., Rink, M., and Pavan, A.: Force-Displacement Evaluation of Macromolecular Materials in Flexural Impact Tests. I. Apparatus and Data Handling, 1107
Luciano, A. J.: see Sundstrom, D. W.
Lum, R. M.: Laser-Induced Decomposition of PVC, 1635
Lyngaae-Jørgensen, J.: The Viscosity of Monomolecular Melts of Poly(vinyl Chloride), 2497
Machi, S.: see Wada, T.
MacKnight, W. J.: see Jacovic, M.
Makaruk, L., Polańska, H., and Staros, E.: Refractometric and Calorimetric Studies of the Van der Waals Interactions Between the Molecules of Polycarbonate and of the Additives Acting as Plasticizers or Antiplasticizers, 63
Malhotra, H. C., and Avinash, (Mrs.): Kinetics of the Acid-Catalyzed Phenol-Formaldehyde Reaction, 2461
Malhotra, K. D.: see Han, C. D.
Malin, V. P.: see Bagirov, M. A.
Markov, R.: see Alaminov, H.
Marom, G.: see Mushkatel, M.
——: see Prins, M.
Marsh, H. C.: see Yasuda, H.
Mashelkar, R. A.: see Nicolais, L.
Masuda, S., and Asano, N.: The Residual Stress of Magnet Wire and Crazing, 357
Masumi, T.: see Ogata, H.
Matarrese, S.: see Cigna, G.
Matsuda, H.: Synthesis of Polymers by Using Divalent Metal Salts of Mono(hydroxyethyl) Phthalate: Unsaturated Polyesters from Metal Salts, Glycol, Anhydrides, and Epoxides, 995
Matsuda, K., Tanaka, Y., and Sakai, T.: Effect of Perchloric Acid on the Molecular Weight and Yield of Poly-THF, 2821
Matsumoto, F.: see Ouchi, I.
Matsuno, A.: see Kikuchi, Y.
Matsuo, T., and Kase, S.: Studies on Melt Spinning. VI. Temperature Profile Within the Filament, 367
Matsushige, K., Radcliffe, S. V., and Baer, E.: The Pressure and Temperature Effects on Brittle-to-Ductile Transition in PS and PMMA, 1853
Matsuura, T.: see Dickson, J. M.
——, Blais, P., and Sourirajan, S.: Polar and Nonpolar Parameter for Polymeric Reverse Osmosis Membrane Materials from Liquid Chromatographic Data, 1515
Matsuzaki, K.: see Kubota, H.
——: see Nakamura, S.
—— and Kanai, T.: Polymer Structure Formed in Radiation-Induced Graft Polymerization. II., 2221
Mattucci, N.: see Baron, R. C.
McCabe, R. P.: see Nazem, F.
McElroy, M. J.: see Blair, H. S.
McKellar, J. F.: see Allen, N. S.
——: see Bentley, P.
McKie, D. B.: see Paik Sung, C. S.
McLaughlin, P.: see Taylor, L. D.
Mehmet, Y., and Roche, R. S.: A Study of the Thermal Degradation of Polystyrene by Thermal Volatilization Analysis, 1955
Mehta, B. J., and Krishnaswamy, N.: Studies on a-Pinene-Furfural-Based Cation Exchange Resins. I. Preparation of Polymeric Compositions and Resins, 2229
—— and ——: Studies on a-Pinene-Furfural-Based Cation Exchange Resins. II. Characterization and Equilibrium Studies, 2239
Mengeres, G. Ya.: see Lipatov, Yu. S.
Merrill, E. W.: see Caro, S. V., Jr.
——: see Paik Sung, C. S.
——: see Sefton, M. V.
Miller, S.: see Kambour, R. P.
Miltz, J., and Narkis, M.: The Effect of Ultraviolet Radiation on Chemically Crosslinked Low-Density Polyethylene, 1627
Minabe, K.: see Ohishi, F.
Minagawa, N., and White, J. L.: The Influence of Titanium Dioxide on the Rheological and Extrusion Properties of Polymer Melts, 501
Mirabella, F. M., Jr., and Barrall II, E. M.: The Determination of Copolymer Composition as a Function of Molecular Weight by Preparative Gel Permeation Chromatography and Comparison to the Rapid Stop-and-Go GPC/IR Method, 959
——, —— and Johnson, J. F.: The Determination of the Addition Variation and Geometrical Isomerism of a Polybutadiene as a Function of Molecular Weight by Preparative Gel Permeation Chromatography and Infrared Analysis, 765
——, ——, Jordan, E. F., Jr., and Johnson, J. F.: Copolymer Composition as a Function of Molecular Weight and the Effect of Conversion on This Relationship, 581
Miyanoki, M., and Joh, Y.: Preparation and Properties of Fibers from a Crystalline Polymethacrylonitrile, 715
Mizutani, Y.: see Kusumoto, K.

——, Kusumoto, K., and Nishimura, T.: Osmotic Concentration by Using Reverse Osmosis Membranes, 2305
Moharram, M. A.: see Abdel-Fattah, S. H.
Moisya, E. G.: see Lipatov, Yu. S.
Moniz, W. B.: see Sojka, S. A.
Moore, D. W.: see Woodman, A. L.
Morbitzer, L., Kranz, D., Humme, G., and Ott, K. H.: Structure and Properties of ABS Polymers. X. Influence of Particle Size and Graft Structure on Loss Modulus Temperature Dependence and Deformation Behavior, 2691
Mori, S.: Correction Method for a Concentration Effect in the Calculation of Molecular Weight Averages from GPC Chromatograms, 2157
Mori, Y., and Tanzawa, H.: Viscoelastic Properties of Stereocomplex Polymers, 1775
Morimoto, T., Takeyama, K. -I., and Konish, F.: Composition of Gaseous Combustion Products of Polymers, 1967
Morris, D. H.: see Sadd, M. H.
Mortimer, G. A.: Molecular Weight and Molecular Weight Distribution Control in HDPE with $VOCl_3$-Based Ziegler-Natta Catalysts, 55
Moustafa, A. B., Ghanem, N. A., and Abd-El-Hakim, A. A.: Polymerization of Methyl Methacrylate in Water in Presence of the Metal Oxides TiO and Cu_2O, 2643
Mukhopadhyay, R., De, S. K., and Basu, S.: Effect of Metal Concentration on the Electrical Conductivity and Some Mechanical Properties of Poly(methyl Methacrylate)—Copper Composites, 2575
Munari, S., Vigo, F., Nicchia, M., and Canepa, P.: Hyperfiltration Membranes Prepared by Radiochemical Grafting of Styrene Onto Poly(tetrafluoroethylene). Influence of the Size and Shape of Emulsion Particles Used to Obtain the PTFE Film, 243
Murakami, T.: see Katayama, S.
Murayama, T.: A New Method for the Measurement of Dynamic Compression Mechanical Properties of Materials with a Rheovibron Viscoelastometer, 2593
——: see Lawton, E. L.
Mushkatel, M., and Marom, G.: Bromostyrene-Crosslinked Polyesters. II. Mechanical Properties and Weathering Stability, 2979
Nair, M. N. R.: see Kishore, K.
Nair, P.: see Pandey, S. N.
Nakagawa, H.: see Suzuki, J.
Nakagawa, T.: see Uegaki, Y.
——, Oishi, N., and Fujiwara, Y.: Reactivity of Poly(vinyl Chloride) Containing N-Methyl Dithiocarbamate Toward Metal Ions in Heterogeneous System and Effect of γ-Irradiation on the Reactivity, 745
——, Taniguchi, J., and Fujiwara, Y.: Reactivity of Poly(vinyl Chloride) Containing N-Methyl-N-Carboxymethyl Dithiocarbamate Toward Metal Ions in Heterogeneous System and Effect of γ-Irradiation of the Reactivity, 733
Nakajima, N., Ward, D. W., and Collins, E. A.: Viscoelastic Characterization of PVC Plastisol Melts for Foam Applications, 1187
Nakamura, M.: see Amari, T.
Nakamura, S.: see Inagaki, N.
——: see Ohishi, F.
——, Sato, H., and Matsuzaki, K: Graft Copolymerization of Styrene onto Poly(vinyl *p*-Nitrobenzoate) by Chain Transfer Reaction, 1501
Nakamura, Y.: see Kusama, Y.
Namiki, I.: Effect of Molecular Structure of Phenolic Resin on Solder Dip Resistance and Peel Strength of Printed Circuit Adhesives, 799
——: Relations Between Solder Dip Resistance and Moisture Permeability of Printed Circuit Adhesives, 1933
Nanassy, A. J.: ESR *g*-Shift Measures Pyrolytic Deoxygenation and the Effect of Flame Retardants, 1607
Narasimham, K. V.: see Ingamells, W.
Narkis, M.: Some Mechanical Properties of Particulate-Filled Thermosetting and Thermoplastic Polymers, 1597
——: see Miltz, J.
——: see Narkis, N.
Narkis, N., and Narkis, M.: Slow Release of Water-Soluble Salts from Polymers, 3431
Nazem, F., and Hansen, M. G.: Stress Growth and Relaxation of a Molten Polyethylene in a Modified Weissenberg Rheogoniometer, 1355
—— and McCabe, R. P.: Direct Measurement of the Thrust Response Time in a Modified Weissenberg Rheogoniometer, 267
Nedelcheva, M. P., and Stoilkov, G. V.: Polyethylenimine Adsorption by Cellulose, 2131
Nedungadi, C.: see Varma, D. S.
Neet, T. E.: see DeGisi, S. L.
Nelson, C. R.: see Shafizadeh, F.
Nicchia, M.: see Munari, S.
Nicholais, L. see Kolařik, J.
—— and Mashelkar, R. A.: The Strength of Polymeric Composites Containing Spherical Fillers, 561
Nielsen, L. E.: see Takano, M.
Niesner, R.: see Bobleter, O.
Nishi, T., and Kwei, T. K.: Improvement of the Impact Strength of a Blend of Poly(vinyl Chloride) with Copolyester Thermoplastic Elastomer by Heat Treatment, 1331
Nishikubo, T., Ichijyo, T., and Takeoka, T.: Untersuchung von Fotopolymeren. XII. Synthese von Fotopolymeren durch kationische Polymerisation von Vinyloxiathylacrylat und Vinyloxiathylsolvat in einigen Acrylestern, 1133
Nishimura, T.: see Mizutani, Y.
Niznik, G. E.: see Kambour, R. P.
Noda, A.: see Kikuchi, Y.
Noshay, A., and Robeson, L. M.: Sulfonated Polysulfone, 1885
Nowlin, T. E., Ungermah, A. J., and Wallace, S. L.: The Quantitative Determination of Oil in Impact Polystyrene, 2095
Nozawa, Y., Higashide, F., and Kanamoto, T.: Drug Release from and Properties of Polystyrene Microcapsules, 3197
Obuchi, Y.: see Katayama, S.
Ogata, H., Masumi, T., and Kusakawa, H.: Mechanical Properties of CdS-Binder Resin Electrophotographic Plates, 2597
Ogawa, T., and Inabra, T.: Comments on Data Treatment in Gel Permeation

Chromatography, 2101
Ogiwara, Y.: see Arai, K.
——: see Kubota, H.
——, Yasunaga, T., and Kubota, H.: Photo-Induced Graft Copolymerization of Methyl Methacrylate on Oxidized Poly(vinyl Alcohol) Fiber, 1413
——, ——, and ——: Poly(vinyl Alcohol) Fiber Radicals Induced by Photo-Irradiation at Room Temperature, 1997
Ohishi, F., Nakamura, S., Koyama, D., Minabe, K., Fujisawa, Y., and Tsuruga, Y.: Factors Affecting Dynamic Durability of Polycarbonate under Bending, Torsional, and Impacting Fatigue and in Cavitation Erosion and Dynamic Solvent Cracking Conditions, 79
Oishi, N.: see Nakagawa, T.
Okaya, T.: see Sakota, K.
Okuno, K.: see Sakoto, K.
Ong, C. J., and Saxon, R.: Viscoelastic Properties and Heat Generation in Urethane Elastomers, 1695
Onishi, Y.: see Kikuchi, Y.
Oprea, S., and Still, R. H.: Thermal Degradation of Polymers. XI. Synthesis, Polymerization and Thermal Characterization of Polymers of *p*-N,N-Diethylaminostyrene in Nitrogen, 639
—— and ——: Thermal Degradation of Polymers. XII. Synthesis, Polymerization and Thermal Characterization of Polymers of *n*-N,N-Dimethylaminostyrene in Nitrogen, 651
—— and ——: Thermal Degradation of Polymers. XIV. Thermal Analysis Studies in Air on Homopolymers of *m*-N,N-Dimethylaminostyrene and *p*-N,N-Diethylaminostyrene and their Copolymers with Styrene, 859
Ott, K. H.: see Morbitzer, L.
Ouchi, I., Hosoi, M., and Matsumoto, F.: Photodegradation of Poly(ethylene 2,6-Naphthalate) Films, 1983
Ouhadi, T., Stevens, C., and Teyssie, Ph.: Study of Poly-ϵ-caprolactone Bulk Degradation, 2963
Padhye, M. R.: see Athale, A. M.
Paik Sung, C. S., Bush, J., McKie, D. B., and Merrill, E. W.: Copolymers Containing Aminohexyl Residues in Side Chains for Attaching Heparin, 2603
Paipetis, S. A.: see Papanicolaou, G. C.
Pai Verneker, V. R.: see Kishore, K.
Panar, M.: see Pye, D. G.
Pandey, S. N., and Nair, P.: Studies on Chemically Modified Cotton. V. Effect of Zinc Chloride Solutions on Swelling and Other Properties of Cotton, 525
Papanicolaou, G. C., Paipetis, S. A., and Theocaris, P. S.: Crosslinking Studies in Plasticized Epoxies by Means of Dynamic Measurements, 903
Paquin, L.: see Wetheimer, M. R.
Paralikar, K. M.: see Betrabet, S. M.
Patel, P. J.: see Kenney, J. F.
Patel, R.: see Coran, A. Y.
Patil, N. B.: see Chidambareswaran, P. K.
——: see Iyer, P. B.
Patterson, C. S., Su, D., and Schreiber, H. P.: Thermodynamic Interactions and the Properties of PVC-Plasticizer Systems, 1025
Paul, D. R., Garcin, M., and Garmon, W. E.: Solute Diffusion Through Swollen Polymer Membranes, 609
Paul, I. L.: see Crugnola, A. M.
Pavan, A.: see Rink, M.
Pearce, E. M.: see Shalaby, S. W.
Pekarskas, V. -P.: see Rayatskas, V.
Peppas, N. A.: Effect of Scanning Speed of DSC on Determination of Melting Points of Crosslinked Polymers, 1715
—— and Merrill, E. W.: Differential Scanning Calorimetry of Crystallized PVA Hydrogels, 1457
Peters, R. H.: see Gur-Arieh, Z.
Petres, J. J.: see Kunst, B.
Phillips, R.: Carbon-13 Nuclear Magnetic Resonance Study of Divinylbenzene-*p*-Cresol Oligomer Mixture, 3025
Pielichowski, J., and Morawiec, E.: Chemical Modification of Poly(N-vinylcarbazole), 1803
Pilkington, M. W.: see Jung, H. Z.
Pistoia, G., Ricci, A., and Voso, M. A.: Electroinitiated Polymerization of Methyl Methacrylate in Aqueous Sulfuric Acid, 2441
Podolsky, Yu. Ya.: see Brizitsky, V. I.
Polaczer, J.: see Huczkowski, P.
Polańska, H.: see Makaruk, L.
Porter, R. S.: see Abbas, K. B.
——: see Goldblatt, P. H.
——: see Jacovic, M.
Price, F. P.: see Ulrich, R. D.
Prins, M., and Marom, G.: Bromostyrene-Crosslinked Polyesters. I. Thermal Stability and Flame Retardancy, 2971
Pullukat, T. J.: see Benham, J. V.
Pusch, W.: see Burghoff, H. G.
Pye, D. G., Hoehn, H. H., and Panar, M.: Measurement of Gas Permeability of Polymers. II. Apparatus for Determination of Permeabilities of Mixed Gases and Vapors, 287
——, ——, and ——: Measurement of Gas Permeability of Polymers. I. Permeabilities in Constant Volume/Variable Pressure Apparatus, 1921
Racich, J. L., and Koutsky, J. A.: Nodular Structure in Epoxy Resins, 2111
Radin, E. L.: see Crugnola, A. M.
Radcliffe, S. V.: see Matsushige, K.
Ranby, B.: see Shur, Y. J.
Ray, P. K., Chakravarty, A. C., and Bandyopadhyay, S. B.: Fine Structure and Mechanical Properties of Jute Differently Dried After Retting, 1765
Rayatskas, V., and Pekarskas, V. -P.: Possibilities of Strength Prediction of Adhesive Joints of Polymers by Master Curve Method, 1941
Reilley, C. N.: see Yasuda, H.
Reinshagen, J. H., and Dunlap, R. W.: The Influence of Structure and Processing Conditions on Engineering Mechanical Properties in Bulk Crystallized Isotactic Polypropylene, 9
—— and ——: The Influence of Structure and Processing Conditions on Engineering Mechanical Properties in Bulk Crystallized Isotactic Polypropylene, 2311
Ribnick, A. S.: see Weigmann, H. D.
Ricci, A.: see Pistoia, G.
Rigdahl, M.: see Kubát, J.

Rink, M.: see Lubert, W.
Riser, G. R.: see Jordan, E. F., Jr.
Roberts, R. F., Ryan, F. W., Schonhorn, H., Sessler, G. M., and West, J. E.: Increase of Gold-Teflon FEB Joint Strength by Removal of Deposited Aluminum Prior to Gold Deposition for Electret Applications, 255
Robertson, A. A.: see Alince, B.
Robeson, L. M.: see Noshay, A.
Roche, R. S.: see Mehmet, Y.
Rodriguez, F.: see Clark, D. B.
——: see Zvanut, C. W.
Rohr, M.: see Bobletter, O.
Roman, J. F.: see White, J. L.
Rose, R. M.: see Crugnola, A. M.
Rosenfeld, J. C.: see Gouinlock, E. V.
Rosovizky, V. F.: see Lipatov, Yu. S.
Ross, M. C.: see Levi, D. W.
Rottler, R.: see Fink, G.
Roy-Chowdhury, P.: see Dewhare, A. R.
Rudin, A.: see Chee, K. K.
—— and Wagner, R. A.: Solvent and Concentration Dependence of Hydrodynamic Volumes and GPC Elution Volumes, 1483
Russell, C. R.: see Burr, R. C.
——: see Gugliemelli, L. A.
Ryan, F. W.: see Roberts, R. F.
Sadd, M. H., and Morris, D. H.: Rate-Dependent Stress-Strain Behavior of Polymeric Materials, 421
—— and ——: Erratum to "Rate-Dependent Stress-Strain Behavior of Polymeric Materials," 3457
Sadhu, M. C.: see Shenai, V. A.
Sakai, T.: see Matsuda, K.
Sakata, I., and Goring, D. A. I.: Corona-Induced Graft Polymerization of Ethyl Acrylate onto Cellulose Film, 573
Sakota, K., and Okaya, T.: Preparation of Cationic Polystyrene Latexes in the Absence of Emulsifiers, 1725
—— and ——: Preparation and Characterization of Carboxylated Isoprene/Styrene Copolymer Latexes, 1735
—— and ——: Preparation and Characterization of Soap-Free Carboxylated Polystyrene Latexes, 1745
—— and ——: Polymerization Behavior of Carboxylic Monomers in the Preparation of Carboxylated Latexes, 2583
—— and ——: Determination of Surface Basic Groups in Cationic Polystyrene Latexes, 3133
—— and ——: Formation of Particles in the Preparation of Carboxylated Polystyrene Latexes, 3255
—— and ——: Effect of Hydrophilic Nature of Growing Radicals on the Formation of Particles in the Preparation of Soap-Free Carboxylated Polystyrene Latexes, 3265
——, Okuno, K., Okaya, T., and Tsuchiya, S.: Oxidation avior of Isoprene/Styrene Copolymer and Butadiene/Styrene Copolymer, 2811
Sato, H.: see Nakamura, S.
Sato, K.: see Chee, K. K.
Saxon, R.: see Ong, C. J.
Schneider, N. S., Desper, C. R., and Singler, R. E.: The Thermal Transition Behavior of Polyorganophosphazenes, 3087
Schneli, D.: see Fink, G.
Schoff, C. K.: see Gillham, J. K.
Schonhorn, H.: see Roberts, R. F.
Schreiber, H. P.: see Patterson, C. S.
——: see Wertheimer, M. R.
——, Tewari, Y. B., Wertheimer, M. R.: Polymer Composites Containing Plasma-Treated Mica. I. Flow and Mechanical Properties, 2663
Schwartz, S.: see Brodman, B. W.
Scully, D. B.: Scale-Up in Suspension Polymerization, 2299
Sedahmed, G. H.: see Farag, A. A.
Sefton, M. V., and Merrill, E. W.: Infrared Spectroscopic Analysis of Complex Polymer Systems, 157
Segui, Y., and Ai, B.: Gas Discharge in Hexamethyldisiloxane, 1611
Sekiya, H.: see Wada, T.
Selden, R.: see Rigdahl, M.
Seno, M.: see Shiraishi, S.
Serita, H.: see Katayama, S.
Sessler, G. M.: see Roberts, R. F.
Seymour, R. B., and Johnson, E. L.: The Effect of Solution Variables on the Solution of Cellulose in Dimethyl Sulfoxide, 3425
Shafizadeh, F., Lai, Y. Z., and Nelson, C. R.: Thermal Degradation of 6-Chloro Carbohydrates, 139
Shalaby, S. E., Allam, E., Abou-Zeid, N. Y., and Bayzeed, A. M.: Graft Copolymerization of 2-Methyl-5-vinylpyridine onto Poly(ethylene Terephthalate) Fibers, 2565
Shalaby, S. W., Turi, E. A., and Pearce, E. M.: Copolymerization of Caprolactam and *m*-Xylylenediammonium Isophthalate, 3185
Shchori, E., and Jagur-Grodzinski, J.: Permeabilities to Salts and Water of Macrocyclic Polyether-Polyamide Membranes, 773
—— and ——: Polymeric Alloys of Poly(vinylpyrrolidone) with a Macrocyclic Polyether-Polyamide, 1665
Shen, M.: see Akobali, G.
Shenai, V. A., and Date, A. G.: Studies in Chemically Modified Celluloses. VIII. Hypochlorite Oxidation of Cellulose in the Presence of Cuprous Hydroxide, 377
—— and Sadhu, M. C.: Studies in Dyeing. I. Effect of Crystal Modification of Disperse Dyes on their Dyeing Behavior, 3141
Shenouda, S. G., and Happey, F.: X-Ray Study of Crystalline Character and Mechanical Properties of Cotton Fibers Swollen in Zincoxen Solution, 2069
Shepherd, L.: see Lai, J. H.
Shibayama, K.: see Iisaka, K.
Shimada, M.: see Kusama, Y.
Shiraishi, S., Seno, M., Ishii, M., and Asahara, T.: Photodegradable Polymers. II. Preparation of Styrene Copolymers with Alkyl and Phenyl β-Styryl Ketones and Their Photodegradability, 2429
Shur, Y. J., and Rånby, B.: Gas Permeation of Polymer Blends. III. Poly(vinyl Chloride) (PVC)/Chlorinated Polyethylene (CPE), 3105
—— and ——: Gas Permeation of Polymer Blends. IV. Poly(vinyl Chloride) (PVC)/Acrylonitrile-Butadiene-Styrene (ABS) Terpolymer, 3121
Simon, S. R.: see Crugnola, A. M.

Singer, K. A.: see Handlos, V. N.
Singler, R. E.: see Schneider, N. S.
Skevin, D.: see Kunst, B.
Slavova, S.: see Alaminov, H.
Smith, J. K.: see Cabasso, I.
Smolders, C. A.: see Van Der Velden, P. M.
Smoley, E. M.: Isothermal Rupture Characteristics of a Plasticized Poly(vinyl Chloride) in the Glass-Rubber Transition Zone, 217
Snuparek, J., Jr., and Krska, F.: Semicontinuous Emulsion Copolymerization of Styrene and Butyl Acrylate, 1753
Soignet, D. M., Berni, R. J., and Benerito, R. R.: Electron Spectroscopy for Chemical Analyses (ESCA)—A Tool for Studying Treated Textiles, 2483
Sojka, S. A., and Moniz, W. B.: The Curing of an Epoxy Resin as Followed by Carbon 13 NMR Spectroscopy, 1977
Sorvik, E. M.: see Abbas, K. B.
Sourirajan, S.: see Dickson, J. M.
——: see Matsuura, T.
Spencer, H. G., and Barrie, J. A.: Determination of Diffusion Constants by Sorption of Solute from a Constant, Finite Volume, 2557
Spruiell, J. E.: see Sze, G. M.
Sreenivasan, S.: see Chidambareswaran, P. K.
Srinathan, B.: see Chidambareswaran, P. K.
Stadnicki, S. J., Gillham, J. K., and Boyer, R. F.: The $T_{ll}(T_g)$ Transition of Atactic Polystyrene, 1245
Staros, E.: see Makaruk, L.
Stevens, C.: see Ouhadi, T.
Still, R. H.: see Oprea, S.
—— and Whitehead, A.: Thermal Degradation of Polymers. X. Thermal Analysis Studies on Poly(*p*-N,N-dimethylaminostyrene) Homopolymers and Copolymers with Styrene in Nitrogen, 627
—— and ——: Thermal Degradation of Polymers. XIII. Thermal Analysis Studies on *p*-N,N-Dimethylaminostyrene Homopolymers and Copolymers with Styrene in Air, 661
Stoilkov, G. V.: see Nedelcheva, M. P.
Stowell, W. J.: see Gonzalez, H., Jr.
Sudarshana, G. R.: see Gupta, V. B.
Sundaram, V.: see Chidambareswaran, P. K.
Sundstrom, D. W., Luciano, A. J. and Klei, H. E.: Kinetics of Wet Oxidation of Nylon 66, 207
Sung, C. S. P.: see Caro, S. V., Jr.
Suzuki, J.: Study on Ozone Treatment of Water-Soluble Polymers. I. Ozone Degradation of Polyethylene Glycol in Water, 93
——, Nakagawa, H., and Ito, H.: Study on Ozone Treatment of Water-Soluble Polymers. II. Utilization of Ozonized Polyethylene Glycol by Bacteria, 2791
Swanson, C. L.: see Gugliemelli, L. A.
Sze, G. M., Spruiell, J. E., and White, J. L.: The Influence of Drawing, Twisting, Heat Setting, and Untwisting on the Structure and Mechanical Properties and Phase Transition Studies, 1813
Szocs, E., and Klimova, M.: Stabilization Effect of Pressure on Free Radicals in Irradiated Polyacrylonitrile, 2249
Taglialatela, A.: see DeCandia, F.
Takahashi, Y.: see Katayama, S.
Takano, M., and Nielsen, L. E.: The Notch Sensitivity of Polymeric Materials, 2193
Takaoka, T.: see Nishikubo, T.
Takeyama, K. -I.: see Morimoto, T.
Talialatela, A.: see De Candia, F.
Tanaka, Y.: see Matsuda, K.
Taniguchi, J.: see Nakagawa, T.
Tanner, W. C.: see Levi, D. W.
Tanzawa, H.: see Mori, Y.
Taylor, L. D.: see Baron, R. C.
—— and Biasotti, B.: The Synthesis of Acetals of Poly(vinyl Alcohol) which Show Lower Consolute Temperature Behavior in Water, 1721
—— and McLaughlin, P.: Preparations and Reactions of Quaternary Salts of Bis(chloromethyl)Ether, 2225
Tewari, Y. B.: see Schreiber, H. P.
Teyssie, Ph.: see Ouhadi, T.
Theocaris, P. S.: see Papanicolaou, G. C.
Ting, R. Y.: An Analysis of Unsteady One-Dimensional Stretching of a Viscoelastic Fluid, 1231
——: Diameter Dependence on the Cutoff Molecular Weights of Drag-Reducing Polymers, 3017
Toh, H. K.: see Glandt, C. A.
Toi, K., Igarashi, K., and Tokuda, T.: Effect of Styrene Grafting on Diffusion and Solubility of Gases in Polyethylene, 703
Tokuda, T.: see Toi, K.
Tsuchiya, S.: see Sakota, K.
Tsuji, W.: see Hirai, A.
——, Hirai, A., and Hosono, M.: Highly Accessible or Decrystallized Cotton by Chemical Methods, 2837
Tsuruga, Y.: see Ohishi, F.
Turi, E. A.: see Shalaby, S. W.
Tursk, E., Boryniec, S., and Jantas, R.: Kinetic Studies on Copolycondensation Processes. III. Kinetic Studies on Copolycondensation of Terephthaloyl Chloride with Bisphenols in Solution, 1849
Uegaki, Y., and Nakagawa, T.: Laser Pyrolysis of Some Polymers in the Presence of Sodium Borohydride, 1661
Ulrich, R. D., and Price, F. P.: Morphology Development During Shearing of Poly(ethylene Oxide) Melts, 1077
—— and ——: Nucleation Behavior of Sheared Poly(ethylene Oxide) Melts, 1095
Ungerman, A. J.: see Nowlin, T. E.
Uno, S.: see Yoshioka, H.
Valade, J. L.: see Hornof, V.
Van Der Velden, P. M., and Smolders, C. A.: Initial Flux Decline and Initial Rejection Increase for Swollen Ionic Membranes, 1153
Varma, D. S., and Nedungadi, C.: Modification of Poly(vinyl Alcohol) Fibers by Hexamethylene Diisocyanate, 681
Varma, I. K., Geetha, C. K., and Veena: Poly(ethenyl-1,3,4-oxadiazole-2,5-diyl-1,4-phenylene). Electrical Properties and Phase Transition Studies, 1813
Veena: see Varma, I. K.
Venkatesh, G. M., and Dweltz, N. E.: Birefringence of Native, Alkali-Swollen, and Crosslinked Cotton Fibers, 273
Vigo, F.: see Munari, S.
Vinogradov, G. V.: see Brizitsky, V. I.
Vittoria, V.: see De Candia, F.
Voso, M. A.: see Pistoia, G.

Vrentas, J. S., and Duda, J. L.: Diffusion in Infinitely Dilute Polystyrene Solutions, 1125
—— and ——: On Relationships Between Diffusion and Friction Coefficients, 2569
Wada, T., Sekiya, H., and Machi, S.: Synthesis of High Molecular Weight Polyacrylamide Flocculant by Radiation Polymerization, 3233
Wagner, A.: see Rudin, A.
Wagner, E. R., and Joesten, B. L.: Halogen-Modified Impact Polystyrenes: Quantification of Preflame Phenomena, 2143
Wallace, S. L.: see Nowlin, T. E.
Ward, D. W.: see Nakajima, N.
Ward, T. L., and Benerito, R. R.: Plumbite-Treated Cotton in Formation of Glassy Materials, 2653
Wegman, R. F.: see Levi, D. W.
Weigmann, H. D., and Ribnick, A. S.: Pulse Propagation in Polyester-Solvent Systems, 2321
Wertheimer, M. R.: see Schreiber, H. P.
——, Paquin, L., and Schreiber, H. P.: Polymer Composites Containing Plasma-Treated Mica. II. Dielectric Properties, 2675
West, J. E.: see Roberts, R. F.
White, J. L.: see Ide, Y.
——: see Minagawa, N.
——: see Sze, G. M.
—— and Roman, J. F.: Extrudate Swell During the Melt Spinning of Fibers—Influence of Rheological Properties and Takeup Force, 1005
Whitehead, A.: see Still, R. H.
Whiting, D., and Kline, D. E.: Internal Friction in Polymer-Impregnated Hardened Cement Paste, 3337
—— and ——: Theoretical Predictions of the Elastic Moduli of Polymer-Impregnated Hardened Cement Paste and Mortars, 3353
Williams, H. L.: see Chen, A. C. F.
——: see Dunlop, A. N.
——: see Yip, H. K.
Wisniewska, W.: see Włochowicz, A.
Włochowicz, A., and Wisniewska, W.: The Effect of Ultraviolet Waves on the Structure of Polyester Fibers (PET), 1867
Wolfe, R. A.: see Gouinlock, E. V.
Woodman, A. L., Moore, D. W., and Adicoff, A.: Degelation of Aluminum Soap-Hydrocarbon Gels, 2589
Wright, H. J., and Harwell, K. E.: Isocyanate Resins from Amide Copolymers, 3305
Wrigley, A. N.: see Jordan, E. F., Jr.
Wu, S.: Effects of Strain Rate and Comonomer on the Brittle-Ductile Transitions of Polymers, 327
Wypych, J.: Interaction of PVC Thermal Stabilizers and UV Absorbers, 279
——: Analysis of Effectiveness of PVC Thermal Stabilizing Agents by Conductometric Method, 283
——: Reactivity of PVC Thermal Stabilizers with Hydrogen Chloride in Alcoholic Solutions, 557
Yadav, D. P.: see Krishnaswami, P.
Yamada, M.: see Jacovic, M.
Yamakawa, S.: Surface Modification of Polyethylene by Radiation-Induced Grafting for Adhesive Bonding. I. Relationship Between Adhesive Bond Strength and Surface Composition, 3057
Yano, S., Hatakeyama, H., and Hatakeyama, T.: Effect of Hydrogen Bond Formation on Dynamic Mechanical Properties of Amorphous Cellulose, 3221
Yasuda, H., and Hsu, T.: Polymerization of Organic Compounds in an Electrodeless Glow Discharge. VII. A Fluid Mechanic Aspect of Plasma and Its Effect on the Polymer Deposition Rate, 1769
——, Marsh, H. C., Brandt, E. S., and Reilley, C. N.: Preparation of Composite Reverse Osmosis Membranes by Plasma Polymerization of Organic Compounds. IV. Influence of Plasma-Polymer (Substrate) Interaction, 543
Yasunaga, T.: see Ogiwara, Y.
Yee, R. Y.: see Adicoff, A.
—— and Adicoff, A.: Polymerization Kinetics in Propellants of the Hydroxyl-Terminated Polybutadiene-Isophorone Diisocyanate System, 1117
Yip, H. K., and Williams, H. L.: Transitions and Relaxations of Linear Polyesters Related to Poly(ethylene Terephthalate). I. Melting, 1209
—— and ——: Transitions and Relaxations of Linear Polyesters Related to Poly(ethylene Terephthalate). II. Glassy and Gamma, 1217
Yoshida, H.: see Kuwajima, T.
Yoshioka, H., Uno, S., and Higashide, F.: Spin Probe Study of Composite Materials, 1425
Zeronian, S. H., and Cabradilla, K. E.: Tensile Properties of Cotton Treated with Alkali Metal Hydroxides, 1689
Zoller, W.: see Fink, G.
Zvanut, C. W., and Rodriguez, F.: Collagen as a Biomaterial: Modulus Jump and Degradation of Collagen Gels, 2871

SUBJECT INDEX, VOLUME 20

Absorption–desorption relaxation recovery, 1573
ABS polymer properties, 2691
ABS polymer structure, 2691
Acenaphthylene electrochemical polymerization, 1711
Acetal PVA preparation, 1721
Acetylation kinetics, polyamide fibers, 873
Acrilan filaments, effect of plasticizing compounds, 41
Acrylamide acrlic acid copolymers, 3201
Acrylhexamethylenediamine copolymerization, 2603
Acrylic acid, acrylamide copolymer graft, 3201
Acrylic acid, methacrylate copolymer compressibility, 1673
Acrylic fiber, plasticizing; compound effect, 41
Acrylonitrile, cellulose phosphonate addition, 2829
Acrylonitrile, graft copolymerization pulp, 1543
Acrylonitrile, graft polymerization, 825
Acrylonitrile, polymerized latex 3175
Acrylonitrile treatment preparation, cotton decrystallized, 3365
Activation volume, polyethylene; low deformations, 2799
Addition variation, polybutadiene, 765
Additive effects, N-halogen compounds, 463
Adhesion phenomena, epoxy resins, 2111
Adhesive joint, strength prediction, 1941
Adhesive tack study, 2941
Adhesives, printed circuit, 1933
Adipic dimethyl esters, 975
Adsorption, diffusion rate, 597
Adsorption, kinetics cellulose, 2131
Adsorption, polyethylenimine cellulose, 2131
Aging, phenolic resin, 799
Alkali acrylonitrile treatment, cotton decrystallized, 3365
Alkoxylated catalyst characteristics, 55
Alpha-methylstyrene–methacrylonitrile copolymer properties, 449
Aluminum bond surface exposure, 1475
Aluminum, caprylate gelling agent, 2589
Aluminum, removal prior to gold deposition, 255
Aluminum soap–hydrocarbon gel degelation, 2589
Amine aryl, pyromellitic dianhydride reaction, 2339
Amine cured epoxy resins, 903
Aminoanthraquinone diffusion penetrant, 597
Aminohexyl residue copolymer, 2603
Ammonia pretreatment, cotton, 1905
Amorphous natural rubber viscosity, 1199
Amorphous polycarbonate viscosity, 1199
Amorphous polyisobutylene viscosity, 1199
Amorphous polymer viscosity pressure, 1199
Amorphous polymethyl methacrylate viscosity, 1199
Amorphous polystyrene viscosity, 1199
Amorphous polyvinyl acetate viscosity, 1199
AMS–MAW copolymer processing characteristics, 457
Amylose-iodine, complex properties, 2031
Amylose-iodine, solutions; ultrasonic frequencies, 2031
Analysis of complex polymer systems, IR, 157
Analysis of cotton fiber maturity, 2329
Anhydride, unsaturated polyester synthesis, 995
Anionic exchange membrane, macroreticular preparation, 3207
Antiplasticizer polycarbonate interactions, 63
Application of biomedical PVA film, 3241
Aqueous phase oxidation, Nylon 66, 207
Aromatic polyamide osmosis membrane, 1491
Aromatic radical ESR, 1607
Articular prostheses, ultrahigh molecular weight polyethylene, 809
Arylmethyl halide plastic photodegradation, 911
Asymmetric cellulose acetate membrane, 789
Autographic falling-weight impact system, 1389
Azelaic acid curing agent, 1695
Azeotropic graft polymerization, 825
Azodicarbonamide blowing agent, 1583
Azoisobutyrodinitrile photolysis, 2581
Bacteria, polyethylene glycol utilization, 2791
BA/VS polyblend, 2715; 2737
Behavior, stress–strain rate dependant, 3457
Bending fatigue polycarbonate, 79
Benzalecetophenone styrene copolymer, 2429
Benzene PVA fiber modification, 681
Benzoyl-naphthol photochemistry, 1145
Benzoyl peroxide graft copolymerization initiator, 2565
Benzoyl peroxide graft polymerization initiator, 967
Benzoyl peroxide initiator, styrene polymerization, 351
Bibenzoxazole structure–property relationship, 1875
Binary mixtures, disperse dyes, 105
Binder resin, CdS electrophotographic plate, 2597
Biphenyl effect, polyethylene, 2271
Birefringence decay polymer, 1573
Birefringence filament, Nylon 6, 335
Birefringence, native crosslinked cotton fibers, 273
Blend, cotton/jute, 3443
Blowing agent, foam extrusion, 1583
Bond, aluminum surface exposure, 1475
Bond strength, epoxy resin cure state, 1431
Bond strength, polyethylene grafting, 3057
Bonding, gold–teflon FEP, 255
Boron trifluoride complex catalyst, cotton finishing, 2631
Branching correction, polyethylene, 3313
Brittle-ductile polymer transition, 327
Brittle-ductile transition, PMMA, 1853
Brittle-ductile transition, PS, 1853
N-Bromosuccinimide photoinitiator, 463
Bueche–Halpin theory, viscoelastic property, 217
Butadiene graft polymerization, 825
Butadienediepoxide treated cottons, 1905
Butastyrene styrene copolymer oxidation, 2811

Butyl acrylate semicontinuous emulsion copolymerization, 1753
Cadmium sulfide binder resin electrophotographic plate, 2597
Cadoxen swelling parameter determination, 2347
Calorimetric studies, Van der Waals interaction, 63
Caprolactam copolyamides, 3185
Carbohydrate, thermal degradation, 139
Carbon-13 NMR spectroscopy epoxy, 1977
Carbonyl species, polyethylene analysis, 3295
Carboxylated latexes preparation, 2583
Carboxylated isoprene/styrene copolymer preparation, 1735
Carboxylated polystyrene latex preparation, 1745
Carboxylic monomer polymerization behavior, 2583
Carboxyl value, cellulose, 385
Catalysis, Ziegler–Natta, 2779
Catalyst system, cotton finishing, 2631
Catalyst, $VOCl_3$-based Ziegler–Natta, 55
Catalytic activity, cuprous hydroxide, 377
Catalytic activity, PVA grafted resin, 1989
Catalytic effect, ethylene polymerization, 55
Cation exchanger, α-pinene furfural, 2229; 2239
Cationic latex, paper reinforcement, 2209
Cationic polystyrene latexes, 1725
Cavitation erosion polycarbonate, 79
Cellobiose polymerization catalyst, 1405
Cellulase dissolution, crosslinked cotton, 1651
Cellulose acetate–cellulose nitrate porous films, 543
Cellulose acetate light scattering, 1339
Cellulose acetate membrane formation, 1339
Cellulose acetate membrane water sorption, 789
Cellulose acetate nitrogen adsorption surface, 2955
Cellulose, amorphous hydrogen bond formation, 3221
Cellulose, amorphous mechanical properties, 3221
Cellulose carboxyl value, 385
Cellulose, chemically modified, 377; 385
Cellulose copper number, 385
Cellulose cuprammonium fluidity, 385
Cellulose, decrystallized cotton fiber, 2313
Cellulose, dimethyl sulfoxide solution, 3425
Cellulose fiber, molecular weight distribution, 1679
Cellulose film, graft polymerization, 573
Cellulose graft polymethyl methacrylate, 2407
Cellulose phosphonate acrylonitrile addition, 2829
Cellulose phosphorylation phosphoric acid, 2829
Cellulose polyethylenimine adsorption, 2131
Cellulosic material, pyrolysis residue, 1607
Cellulosic matter, degradation sugar, 2083
Cement paste, hardened elastic moduli, 3353
Cement paste, polymer-impregnated, 3337
Chain folding polyethylene film, 2271
Chain transfer graft copolymerization, styrene, 1501
Chelating agent, effect cellulose oxidation, 385
Chemical modification, poly(N-vinyl carbazole), 1803
Chemically modified cellulose, 377; 385
Chemically modified cotton, 525
Chitosan polyelectrolyte complexes of heparin, 2561
Chlorobutyl rubber, high-impact polystyrene, 393
Chloro carbohydrate thermal degradation, 139
(Chloromethyl)ether, quarnary salts, 2225
(Chloromethyl)ether, quarnary salts; preparation, 2225
Chlorous acid treatment, cellulose, 377
Chromatographic liquid, reverse osmosis membrane parameter, 1515
Chromic acid mixture, polyethylene treated, 2451
Circular tube flow, aqueous solutions, 315
Circuit, printed; adhesives, 1933
Coefficient diffusion, binary dye mixtures, 105
Coefficient heat transfer, melt spinning, 367
Coextrusion, flame retardant antistatic fiber, 2913
Collagen gel biomaterial, 2871
Collagen gel degradation, 2871
Colorimetric tube analysis, combustion products, 1967
Combustion, vinyl polymer mechanism; ferrocene, 2183
Commercial linear ethylene homopolymer, 55
Comonomer effect, brittle ductile transition, 327
Composite material, spin probe, 1425
Composite reverse osmosis membrane preparation, 543
Composites, theoretical model, 891
Composition polymer, gaseous combustion products, 1967
Composition, surface polyethylene, 3057
Compressibility, dimethylaminoethyl methacrylate copolymer, 1673
Concentration effect, molecular weight correction, 2157
Concentration solvent dependence, GPC elution volumes, 1483
Concentration solvent dependence, hydrodynamic volumes, 1483
Conductometric determination, PVC stabilizer effectiveness, 283
Conjugate fiber interface shape, 2609
Consolute temperature, acetal PVA, 1721
Conversion factor, dilatometric data, 2473
Conversion fermentation, sugar protein, 2083
Copolyamides, caprolactam, 3185
Copolyamides, xylylene diammonium isophthalate, 3183
Copolycondensation processes, kinetics, 1849
Copolycondensation, terephthaloyl chloride bisphenol, 1849
Copolyester elastomer, impact strength PVC, 1331
Copolyester sequence distribution, 949
Copolymer, amide; preparation isocyanate resin, 3305
Copolymer, aminohexyl residue, 2603
Copolymer, butadiene styrene oxidation, 2811
Copolymer composition, molecular weight, 581
Copolymer, dimethylaminoethyl methacrylate compressibility, 1673
Copolymer, glass transition interpretation, 2615
Copolymer graft, acrylamide acrylic acid, 3201
Copolymer graft, starch, 3201
Copolymer, isoprene/styrene oxidation, 2811
Copolymer, styrene maleic anhydride, 1619
Copolymerization, acrylhexamethylenediamine, 2603

Copolymerization, butyl acrylate; semicontinuous emulsion, 1753
Copolymerization, carboxylic soap free monomers, 1745
Copolymerization graft, methyl vinyl pyridine, 2565
Copolymerization graft, photo-induced, 1413; 1989
Copolymerization graft, styrene poly(vinyl nitobenzoate), 1501
Copolymerization graft, xanthate method; acrylonitrile, 1543
Copolymerization, methyl methacrylate, Nylon 6, 1049
Copolymerization, polybutadiene isophorone diisocyanate, 1117
Copolymerization, styrene presence, vinyl sulfone, 351
Copolymerization, styrene semicontinuous emulsion, 1753
Copolymers, carboxylated isoprene styrene, 1735
Copolymers, VS and VC, 2715; 2737
Copper number cellulose, 385
Copper oxide effect, polymerization methacrylate, 2643
Copper, poly(methyl methacrylate) electrical conductivity; mechanical properties, 2575
Corona-induced graft polymerization, 573
Correlation between creep dyeability fibers, 345
Cotton butadienediepoxide-treated fabric properties, 1905
Cotton cellulose, chemically modified, 377
Cotton cellulose oxidation, 385
Cotton, chemically modified, 525
Cotton, crosslinked; cellulose dissolution, 1651
Cotton, decrystallized accessible, 2837
Cotton, decrystallized chemical methods, 2837
Cotton, decrystallized structure, 3365
Cotton fiber birefringence, 273
Cotton fiber deuteration, 2313
Cotton fiber maturity analysis, 2329
Cotton fibers, zincoxen solution, 2069
Cotton finishing, catalyst system, 2631
Cotton finishing, easy care, 2631
Cotton, glycerol retention value, 2329
Cotton/jute blend, x-ray diffraction, 3443
Cotton, plumbite-treated, 2653
Cotton–polyester blend, infrared analysis, 591
Cotton swelling, neutral salt technique, 2347
Cotton textile properties, 1905
Cotton-treated tensile properties, 1689
Cracking conditions, dynamic solvent polycarbonate, 79
Crazing, magnet wire, 357
Crazing, thermoplastic glass bead composite, 1597
Creep deformation, commercial Nylon 6, 345
Creep deformation, commercial PET, 345
Creep deformation, dyeability correlation, 345
Cresol DVB mixture, ^{13}C NMR, 3025
Crimp shape changes, 1
Crimp shape stability, 1
Crimp structure keratin fibers, 1
Crimp structure stability, 1
Crimped keratin fibers, chemically modified, 1
Crosslinked cotton, cellulase dissolution, 1651
Crosslinked cotton, fiber birefringence, 273
Crosslinked methacrylic acid, 831
Crosslinked phenolformaldehyde polymers, 1533
Crosslinked polybutadiene, 831
Crosslinked polyethylene, ultraviolet effect, 1627
Crosslinked polymer, DSC, 1715
Crosslinked polymer, glass fiber reinforced, 2853
Crosslinking plasticized epoxies, 903
Crosslinking radiation-induced polymers, 3375
Crystal character cotton fiber, 2069
Crystal modification dispense dye, 3141
Crystallinity poly(phenylene sulfide), 2541
Crystallization orientation, Nylon 6, 335
Crystallization polymeric melts, 1077
Crystallized isotatic polypropylene mechanical properties, 9
Cumene oxidation, 2581
Cuprammonium fluidity, cellulose, 385
Cuprous hydroxide, catalytic activity, 377
Cure state, epoxy resin bond strength, 1431
Curing agent, polyurethane elastomer, 285
Curing, epoxy resin, 1977
Curing, phenolformaldehyde polymer, 1533
Curing, polyperfluoroether oxadiazole elastomers, 1035
Current noise, polyethylene, 489
Current noise, polystyrene, 489
Cutoff molecular weight, diameter dependence, 3017
Cyanoethylation cotton decrystallized, 2837
Cyclic loading effect, crosslinked polymer, 2853
Data treatment, gel permeation chromatography, 2101
Deamination kinetics, polyamide fibers, 873
Decalin swelling agent, 831
Decay behavior, photo-induced radicals, 1997
Decomposition of bis(chloromethyl)ether, quarnary salts mechanism, 2225
Decomposition, PVC; laser-induced, 1635
Decomposition, thermal polyethylene, 2045
Decomposition, thermal polyisobutylene, 2045
Decomposition, thermal polypropylene, 2045
Decrimping forces, keratin fibers, 1
Decrimping region stress–strain properties, 1
Decrystallized cellulose cotton fiber, 2313
Deformation history, polypropylene, 1555
Deformation behavior, ABS polymers, 2691
Deformation mechanism, photoelastic analysis, 1449
Deformation, PE films, 115
Deformation, polyethylene stress relaxation, 2799
Degelation, aluminum soap-hydrocarbon gel, 2589
Degradation, bulk polycaprolactone, 2963
Degradation, collagen gel, 2871
Degradation, hydrothermal cellulosic matter, 2083
Degradation, oxidative PVC, 3321
Degradation, phosphorylation cellulose product, 2829
Degradation, thermal polystyrene, 1955
Degradation, ozone polyethylene glycol, 93
Degradation, polyphosphazene, 3073
Degradation, polystyrene extrusion experiments, 1301
Degradation, thermal polystyrene kinetics, 2355
Degradation, thermal PVC, 2395
Dehydration, 6-chloro carbohydrates, 139
Dehydrochlorination, kinetics PVC, 2395
Density, polyurethane elastomer, 1695
Deoxygenation rate, flame retardant, 1607

Dependance diameter, cutoff molecular weight, 3017
Deposition rate, plasma effect, 1769
Desorption–absorption relaxation recovery, 1573
Destruction, phenolformaldehyde polymer, 1533
Deuteration, cotton fiber, 2313
Dialkyl dithiocarbamate, PVC radiation protection, 753
Diamine–triol curing agent, 1695
Dichroism disperse dyes, Nylon 66, 403
Dielectric properties, mica polymer composite, 2675
Diethylaminostyrene polymer preparation, 639
Diethylaminostyrene polymer, thermal analysis, 639
Differential scanning calorimetry, diethylaminostyrene polymer, 639
Differential scanning calorimetry, dimethylaminostyrene polymer, 627; 651
Differential scanning calorimetry, crosslinked polymer, 1715
Differential scanning calorimetry, epoxy resin cure state, 1431
Differential scanning calorimetry, polystyrene, 2355
Differential scanning calorimetry, PVA hydrogels, 1457
Differential scanning calorimetry, PVP blend, 1665
Differential scanning calorimetry, speed effect, 1715
Differential thermal analysis, diethylaminostyrene polymer, 639
Differential thermal analysis, dimethylaminostyrene polymer, 627; 651
Differential thermal analysis, polystyrene, 1245
Diffusion constant, determination sorption, 2557
Diffusion, dye mixtures, 105
Diffusion, friction coefficient relationship, 2569
Diffusion gases, styrene grafting, 703
Diffusion, infinitely dilute polystyrene solutions, 1125
Diffusion, methyl acrylate PMMA, 2419
Diffusion, penetrant aminoanthraquinone salicylic acid, 597
Diffusion, polymer solutions, 3247
Diffusion polymerization, gradient polymer, 2419
Diffusion, polymer membrane, 609
Diffusion, rate adsorption, 597
Diffusion, stabilizer polymer, 2533
Dihydroxybenzophenone diffusion stabilizer polymer, 2533
Dilatometric data, polymerization reaction, 2473
Dimethyl adipate terephthalate melt polymerization, 975
Dimethyl sulfoxide cellulose solution, 3425
Dimethylacetamide polyimide compound formation, 2339
Dimethylaminoethyl methacrylate copolymer compressibility, 1673
Dimethylaminostyrene polymer thermal analysis, 627; 651; 661
Dimethylaminostyrene polymer preparation, 651
Dimethylformamide PVA fiber modification, 681
Dimethylformamide polyimide compound formation, 2339
Dimethylformamide swelling agent, 831
Dimethylodihydroxyethyleneurea-treated textile, 2483
Dinitrophenylhydrazine reaction, polyethylene, 2451
Dioxane PVA fiber modification, 681
Diphenylalkane oxidation, 2581
Diphenylmethane diisocyanate base polyurethane, 1441
Discharge current, relaxation polycarbonate, 2879
Discharge current, thermal stimulation, 2879
Discharge glow, electrodeless polymerization, 1769
Dispersion, mechanical; crosslinked polymers, 2165
Dispersity effect, polystyrene transition, 1277
Dispersity effect, $T_{ll} > T_g$ transition; polystyrene, 2009
Disulfide rupture effect, 1
Domain interaction, NBR/VC polyblend, 2757
Dow polystyrene standards, 3437
Drag reduction, turbulent flow, 315
Draw resonance simulation, 169
Drug release polystyrene microcapsules, 3197
Dye affinity, 2407
Dye disperse crystal modification, 3141
Dye effect polymerization, styrene, 351
Dye grafting, cellulose behavior, 2407
Dye mixture diffusion, Nylon 6, 105
Dye–polymer interaction, Nylon 66, 105
Dyeability creep deformation correlation, 345
Dyeing behavior, disperse dye, 3141
Dyeing cellulose acetate, 2955
Dyeing mechanical properties, fiber, 3033
Dyes, disperse mixtures; binary, 105
Dyes, vinyl sulfone styrene polymerization, 351
Dynamic compression, mechanical property measurement, 2593
Dynamic durability, polycarbonate, 79
Dynamic measurement, plasticized epoxies, 903
Dynamic rheological properties, polyisobutylene, 193
Dynamic solvent cracking conditions, polycarbonate, 79
Dynamic viscosity, ethylene vinyl acetate copolymer, 1321
Effect perchloric acid, poly-THF yield, 2821
Effect strain rate, brittle-ductile transition, 327
Elastic behavior composites, 891
Elastic moduli prediction, 3005
Elastic properties, polyethylene melt, 2705
Elasticity fluid, hole pressure error, 3155
Elastomer copolyester, impact strength PVC, 1331
Elastomer polyurethane, dynamic compression properties, 2593
Elastomer system, poly(perfluoroether) oxadiazole, 1035
Elastomer, urethane; heat generation viscoelastic properties, 1695
Elastomeric, polyurethane photochemistry; MDI-based, 1441
Electret applications, teflon FEP, 255
Electrical conductivity, polymethyl methacrylate copper, 2575
Electrical properties, 1,3,4 oxadiazole copolymers, 1813

Electrical properties, polymer orientation effect, 1069
Electrochemical polymerization, acenaphthylene, 1711
Electrodeless glow discharge polymerization, 1769
Electroinitiated polymerization, methyl methacrylate, 2441
Electrophilic attack ozone, 93
Electrophotographic plate, mechanical properties, 2597
Electron micrograph, structure–property relationship, 2615
Electron resists, molecular weight distribution, 2367
Electron spin resonance, deoxygenation rate, 1607
Electron spin resonance, irradiated PVA, 1413
Electron spin resonance, phenolformaldehyde polymer, 1533
Electron spin resonance, PMD, 745
Electron spin resonance, PSDC, 733
Electron spin resonance, PVDE, PDE, PMD, 753
Electron spin resonance, spin probe, 1425
Elongational viscosity, melt spinning, 1555
Elongational viscosity, polypropylene, 1555
Elongational viscosity, stretching analysis, 1231
Emulsifier absence, cationic polystyrene latexes, 1725
Emulsion copolymerization, semicontinuous butyl acrylate, 1753
Emulsion copolymerization, semicontinuous styrene, 1753
Emulsion particle size, shape; DTFE, 243
Emulsion polymerization, methyl methacrylate, 853
Engineering mechanical properties, isotatic polypropylene, 9
Epoxide, unsaturated polyester synthesis, 995
Epoxies, plasticized crosslinking, 903
Epoxy resin, bond strength cure state, 1431
Epoxy resin curing, 1977
Epoxy resin, filler orientation, 813
Epoxy resins, nodular structure, 2111
Equilibrium, pinene–furfural resin, 2239
Erosion cavitation, polycarbonate, 79
ESCA flame retardant polymer, 2483
ESCA glassy materials, 2653
ESCA-treated textiles, 2483
ESR method, free radical decay, 2249
Ethyl acrylate, graft polymerization, 573
Ethyl cyanacrylate, PVA graft, 3215
Ethylene vinyl acetate copolymers, rheological properties, 1321
Ethylenediamine, swelling agent, 2313
Extensional viscosity, amorphous polystyrene, 1137
Extrudate analysis, polyisobutene, 1289
Extrudate analysis, polystyrene, 1301
Extrudate swell, melt spinning, 1005
Extrusion experiments, polystyrene degradation, 1301
Extrusion foam, blowing agent, 1583
Extrusion influence, TiO_2, 501
Extrusion properties, polymer melts, 501
Extrusion temperatures, polyisobutene, 1289
Eyring, activated rate theory, 2419
Fabric, cotton decrystallized structure, 3365
Fabric properties, butadienediepoxide-treated cotton, 1905
Falling coaxial cylinder viscometers, 1467
Falling weight impact system, autographic, 1389
Fatigue, bending polycarbonate, 79
Fatigue, impacting polycarbonate, 79
Fatigue, torsional polycarbonate, 79
Ferrocene activity, vinyl polymer, 2183
Ferrocene, vinyl polymer mechanism, 2183
Fiber, antistatic coextrusion technique, 2913
Fiber, cellulose molecular weight distribution, 1679
Fiber, conjugate interface shape, 2609
Fiber, cotton deuteration, 2313
Fiber, cotton; maturity analysis, 2329
Fiber, crimped keratin, 1
Fiber, flame-retardant coextrusion production, 2913
Fiber, high-density PE, 1823
Fiber, hollow polysulfone spinning, 2377
Fiber, mechanical properties; liquid media, 3033
Fiber, melt spinning; extrudate swell, 1005
Fiber, Nylon-6 orientation, 1421
Fiber orientation, ultrasonic waves, 1867
Fiber, poly(ethylene terephthalate); graft copolymerization, 2565
Fiber, polymethacrylonitrile preparation properties, 715
Fiber, poly(vinyl alcohol) modification, 681
Fiber, PVA copolymerization grafting, 1413
Fiber radicals, poly(vinyl alcohol), 1997
Fiber-reinforced Kevlar-49 thermoplastics, 435
Fiber, short crosslinked polymers, 2165
Fiber, short glass crosslinked polymer, 2853
Fiber, sisal structure, 2921
Fiber, solution adsorption surface area, 3453
Fibers, acrylic effect; plasticizing agents, 41
Fibers, reinforced composite model, 891
Filament birefringence, Nylon 6, 335
Filament, fluid polymer spinnability, 2511
Filament temperature profile, 367
Filled polymers relaxation time spectra, 1787
Filler orientation, epoxy resin, 81
Film, polyethylene, 2271
Film, PVA biomedical applications, 3241
Films, DE structural changes, 115
Fine structure, jute differentially dried, 1765
Flame retardent deoxygenation rate, 1607
Flame retardant laser-induced decomposition, PVC, 1635
Flaming combustion, synthetic polymers, 1967
Flammability, poly(ethylene terephthalate), 689
Flash photolysis, benzoyl naphthol hydroxybenzanthrone, 1145
Flash thermolysis technique, preflare phenonena, 2143
Flexural impact, macromolecular materials, 1107
Flexural properties, AMS–MAW copolymers, 449
Flocculant, polyacrylamide synthesis, 3233
Flory–Huggins thermodynamic parameter, 1025
Flow behavior polymer, 25
Flow polymer capillary, 1313
Flow properties, mica polymer composite, 2663
Fluid filament, polymer spinnability, 2511
Fluid mechanic aspect, plasma, 1769
Fluorescence polyurethane, 1441
Fluorescence spectra, PEN 2,6 films, 1983

Fluoroalkoxy polyphosphazene, glassy state transitions, 473
Fluorocarbon linkage, bibenzoxazole polymers, 1875
Flux decline, swollen ionic membrane, 1153
Foam applications, PVC melts, 1187
Foam extrusion, blowing agent, 1583
Foam, rigid urethane properties, 2011
Force-displacement evaluation, macromolecular materials, 1107
Formaldehyde, phenol reaction kinetics, 2461
Formaldehyde, urea copolymer NMR analysis, 1371
Formation gel, crosslinking polymers, 3375
Formation particles, polystyrene latex preparation, 3255
Fouling, organic anionic exchange membrane, 3207
Fraction laminarization effectiveness, 315
Fracture surface, PET fibers, 2005
Free radical effect, polyacrylonitrile, 2249
Freeze–thaw stability, isoprene styrene, 1735
Frequencies, ultrasonic properties amylose-iodine complex, 2031
Friction diffusion, coefficient relationship, 2569
Friction, internal cement paste, 3337
Frictional shear strength, thermoplastics, 435
Fructose polymerization catalyst, 1405
Gamma-irradiated cellulose fibers, 1679
Gamma irradiation, PDM PDE, 753
Gamma irradiation, PVC reactivity, 733; 745
Gamma irradiation, styrene graft polyethylene, 703
Gamma relaxation, poly(ethylene terephthalate), 1217
Gas chromatography chromatograms, concentration effect, 2157
Gas chromatography elution volumes, solvent concentration dependence, 1483
Gas chromatography, gaseous combustion products, 1967
Gas chromatography system performance evaluation, 2989
Gas discharge, hexamethyldisiloxane, 1611
Gas permeability measurements, 287
Gas permeability, polymer measurements, 1921
Gas permeation, PVC ABS terpolymer, 3121
Gas permeation, PVC CPE, 3105
Gaseous combustion, product composition, 1967
Gel collagen, modulus jump, 2871
Gel permeation chromatography, branching correction, 3313
Gel permeation chromatography, cellulose fibers, 1679
Gel permeation chromatography, data treatment, 2101
Gel permeation chromatography, GPC system, 2989
Gel permeation chromatography, polybutadiene, 765
Gel permeation chromatography, polyisobutene, 1289
Gel permeation chromatography, polystyrene, 1301
Gel permeation chromatography, polystyrene standards, 3437
Gel permeation chromatography, poly(styrene-co-vinyl stearate), 581
Gel permeation chromatography, PVC, 2395
Gel permeation chromatography, styrene copolymers, 2429
Gel permeation chromatography, styrene–maleic anhydride copolymers, 1619
Gelation graft polymerization, methyl methacrylate, 967
Geometrical isomerism, polybutadiene, 765
Glass bead filler relaxation, 841
Glass bead polymethacrylate composite, 841
Glass bead thermoplastic crazing, 1597
Glass rubber transition zone, PVC, 217
Glass transition, copolymers, composite relationship, 2615
Glass transition, molecular weight interpretation, 2615
Glass transition, poly(ethylene terephthalate), 1217
Glass transition, polyurethane elastomer, 1695
Glass transition temperatures, dimethylaminostyrene polymer, 627; 651
Glass transition temperatures, polysulfone, 1885
Glassy materials formation, 2653
Glow discharge, electrodeless polymerization, 1769
Glucose polymerization catalyst, 1405
Glycerol retention value, cotton, 2329
Glycol unsaturated polyester synthesis, 995
Gold deposition, prior aluminum removal, 255
Gold–teflon FEP electrical properties, 255
Gold–teflon FEP joint strength, 255
Gradient polymers, diffusion polymerization, 2419
Graft copolymers, acrylamide acrlic acid, 3201
Graft copolymers, starch, 3201
Graft copolymerization, photo-induced, 1413
Graft copolymerization, methyl vinylpyridine, 2565
Graft copolymerization, Nylon 6, 1049
Graft copolymerization, styrene poly(vinyl P-nitrobenzoate), 1501
Graft copolymerization, xanthate method, 1543
Graft polymerization azeotropic, 825
Graft polymerization, methyl methacrylate gel, 967
Graft polymerization, corona-induced, 573
Graft polymerization, radiation-induced, 2221
Graft polymerization, thiourea-induced, 3449
Graft polymers, acrylonitrile polymerized, 3175
Graft structure, ABS polymer, 2691
Grafting cellulose, polyacrylonitrile, 2407
Grafting cellulose, polymethyl methacrylate, 2407
Grafting ethyl cyanacrylate, PVA, 3215
Grafting radiation-induced polyethylene, 3057
Granulometric distribution emulsions, PTFE films, 243
Haloalkene additives, plastic photodegradation, 911
Haloalkyl sulfur compounds, photoinitiators, 921
Halocarbonyl compound photoinitiators, 921
Halogen additive effects, 463
HDPE melt-spun, 1823
Heat capacity, isophthalate polyester, 1217
Heat capacity, styrene copolymers, 1059
Heat fusion, isophthalate polyester, 1209
Heat fusion, poly(hexamethylene isophthalate); poly(decamethylene isophthalate), 1209

Heat generation, urethane elastomers, 1695
Heat impact strength, PVC, 1331
Heat setability, polymethacrylonitrile, 715
Heparin, copolymer aminohexyl side chain, 2603
Heparin, polyelectrolyte complex chitosan, 2561
Heterogeneous medium, polyamide fiber kinetics, 873
Hexamethyldisiloxane, gas discharge, 1611
Hexamethylene diisocyanate, PVA fiber modification, 681
Hexamethylene diisocyanate, PVA film reaction, 3241
High-density melt-spun PE, 1823
High-density PE mechanical properties, 1823
High-density structure PE, 1823
High-impact polystyrene, 393
HMX hydrogen bonding, 2607
Hole pressure error data elasticity, 3155
Hollow fiber polysulfone spinning, 2377
Homogeneous cellulose acetate membrane, 789
Homopolymer diethylamino styrene, thermal analysis, 859
HPDE molecular weight distribution control, 55
Hydrocarbon gel–aluminum soap degelation, 2589
Hydrochloric acid catalyst, 2461
Hydrochloride sodium salts, acrylic acid copolymer, 1673
Hydrodynamic volume, solvent concentration dependence, 1483
Hydrogen bond formation effect, cellulose, 3221
Hydrogen bond, nitrocellulose, 2607
Hydrogen bonding, HMX, 2607
Hydrogen bonding, nitrocellulose hydroxyl groups, 569
Hydrogen bonding, phthalic acid esters, 569
Hydrogen bonding, RDX, 2607
Hydrolysis kinetics, polyamide fibers, 873
Hydroxide-hydrazine initiator, vinyl polymerization, 853
Hydroxybenzanthrone, photochemistry, 1145
Hydroxyl group, unesterified nitrocellulose, 2607
Hydroxyl-terminated polybutadiene, 1117
(Hydroxymethyl)phosphonium chloride-treated textile, 2483
Hydroxy-octoxybenzophenone diffusion stabilizer polymer, 2533
Hyperfiltration membranes, radiochemical preparation, 243
Hypochlorite oxidation, cellulose, 377
Imbibition, glycerol cotton, 2329
Imide compound formation, 2339
Impact behavior, padding materials, 2893
Impact, flexural; macro molecular materials, 1107
Impact strength, PVC, 1331
Impact system, autographic falling weight, 1389
Infinitely dilute polystyrene solutions, 1125
Interaction, latex–fiber, 2209
Interaction, polycarbonate plasticizer additive, 63
Interface shape, conjugate fiber, 2609
Interfacial bond strength, thermoplastics, 435
Interfacial condensation, ferrocene polyesters, 2255
Interfacial properties, thermoplastic, 435
Interfibrillar swelling, cotton fiber, 525
Intermolecular etherfication, carbohydrates, 139
Ion exchange, resin preparation, 1989
IR analysis, cotton polyester blend, 591
IR analysis, hexamethyldisiloxane polymer, 1611
IR analysis, polybutadiene, 765
IR analysis, polymer systems, 157
IR deuteration, cotton fiber, 2313
IR phenolformaldehyde polymer, 1533
IR polymethacrylonitrile, 715
IR poly(styrene-co-vinyl stearate), 581
IR spectra, gaseous combustion products, 1967
IR styrene copolymer photodegradation, 2429
Isocyanate groups, pendant polymers, 1795
Isocyanate dependant groups, 411
Isophorone diisocyanate–polybutadiene copolymerization, 1117
Isophthalate polyester, heat capacity, 1217
Isophthalate polyester, heat fusion, 1209
Isoprene graft polymerization, 825
Isoprene/styrene copolymer oxidation, 2811
Isoprene/styrene copolymer preparation, 1735
Isoprene/styrene freeze–thaw stability, 1735
Isotatic polypropylene, bulk crystallized, 9
Isotatic polypropylene, processing influence, 9
Isotatic polypropylene, structure influence, 9
Isothermal rupture characteristics, plasticized PVC, 217
Joint strength, adhesive prediction, 1941
Joint strength, gold–teflon FEP, 255
Jute, fine structure, 1765
Jute, mechanical properties, 1765
Keratin fibers, chemically modified, 1
Kevlar-49, fiber-reinforced thermoplastics, 435
Kinetics, acetylation polyamide fibers, 873
Kinetics, atactic polystyrene oxidation, 2581
Kinetics, copolycondensation processes, 1849
Kinetics, deamination polyamide fibers, 873
Kinetics, dehydrochlorination PVC, 2395
Kinetics, hydrolysis polyamide fibers, 873
Kinetics, neighboring group effect polymer, 1175
Kinetics, phenol–formaldehyde reaction, 2461
Kinetics, polyethylene oxide melts, 1077
Kinetics, polystyrene thermal degradation, 2355
Kinetics, propellant polymerization, 1117
Kinetics, scission crosslinked collagen, 2871
Kinetics, stress relaxation polyethylene, 2799
Kinetics, wet oxidation; Nylon 66, 207
Kirkwood–Riseman theory, 1125
Lamellar structure, crosshatched, 9
Laminac polyester resin, stress behavior, 421
Laminarization fraction effectiveness, 315
Laser flash photolysis, polyurethane, 1441
Laser-induced decomposition, PVC, 1635
Laser pyrolysis, polymer, 1661
Latex carboxylated polystyrene preparation, 1745
Latex carboxylated preparation, 2583
Latex copolymerization, cationic monomers, 1725
Latex–fiber paper reinforcement interaction, 2209
Latex graft polymer, acrylonitrile, 3175
Latex isoprene/styrene copolymers, 1735
Latex polystyrene, cationic surface groups, 3133
Latex polystyrene, particle formation, 3265
Latex polystyrene, preparation, 3255; 3265

Latexes, cationic polystyrene, 1725
Light-scattering cellulose acetate, 1339
Light stability, polypropylene luminescence, 2553
Liquid chromatographic reverse osmosis membrane parameter, 1515
Liquid media fibers, mechanical properties, 3033
Lithium hydroxide, cotton-treated, 1689
Loss factors, plasticized epoxies, 903
Loss modulus temperature, ABS polymer, 2691
Luminescence, benzoyl-naphthol hydroxybenzanthrone, 1145
Luminescence impurity, Nylon 66 polymerization, 1717
Luminescence, thermally oxidized polypropylene, 2553
Macrocyclic polyether–polyamide preparation, 1665
Macromolecular characterization, polyphosphazene, 3073
Macromolecular material force displacement, 1107
Magnesium methacrylate polar monomer, photoelastic analysis, 1449
Magnet wire, stress crazing, 357
Maleic anhydride copolymer, molecular weight, 1619
Maltose polymerization catalyst, 1405
Master curve prediction method, 1941
Measurement, gas permeability polymers, 1921
Mechanical behavior, polymethacrylate glass bead, 841
Mechanical properties, BA/vinyl copolymers, 2715
Mechanical properties, bulk crystallized polypropylene, 9
Mechanical properties, electrophotographic plate, 2597
Mechanical properties, epoxy resin, 813
Mechanical properties, jute differentially dried, 1765
Mechanical properties, mica polymer composite, 2663
Mechanical properties, particulate filled polymer, 1597
Mechanical properties, poly(methyl methacrylate)–copper, 2575
Mechanical properties, polysulfone hollow fiber, 2377
Mechanical property, PVC, 1331
Mechanical property, cotton fibers, 2069
Mechanism, acid-catalyzed phenol–formaldehyde, 2461
Mechanistic characterization, water sorption, 789
Melt extrusion polystyrene, 1313
Melt polymerization, dimethyl adipate terephthalate, 975
Melt rheology, PVC foam, 1187
Melt spinning, elongational viscosity, 1555
Melt spinning, fiber extrudate swell, 1005
Melt spinning, Nylon 6, 335
Melt spinning, Nylon 6 fiber, 1421
Melt spinning, spinnability, 1555
Melt spinning studies, 169; 367
Melt spinning, thread instability, 1555
Melt spun HDPE, 1823
Melting point, crosslinked polymer, 1715
Melting point, poly(ethylene terephthalate), 1209
Membrane anionic exchange, fouling behavior, 3207
Membrane, cellulose acetate; water sorption, 789
Membrane, chlorine resistance, 543
Membrane formation, cellulose acetate, 1339
Membrane, hyperfiltration; radiochemical grafting preparation, 243
Membrane, NS100 reverse osmosis, 303
Membrane osmosis, 2305
Membrane, polyether–polyamide permeability, 773
Membrane, poly(vinylpyrrolidone) permeability, 773
Membrane, reverse osmosis, 1491
Membrane, reverse osmosis; polymeric material, 1515
Membrane, reverse osmosis; preparation, 543
Membrane, solute diffusion, 609
Membrane, swollen ionic, 1153
Metal, alkali; hydroxides, coton-treated, 1689
Metal concentration, effect electrical conductivity; mechanical properties, 2575
Metal ion, PVC reactivity, 733; 745
Metal, polymer composite, 2575
Metal salts, mono(hydroxyethyl) phthalate polymer syntheses, 995
Methacrylic acid, polar monomer photoelastic analysis, 1449
Methacrylic acid, swelling behavior, 831
Methyl acrylate diffusion, PMMA, 2419
Methyl carboxymethyl dithiocarbamate, PVC reactivity, 737
Methyl dithiocarbamate, PVC reactivity, 745
Methyl methacrylate, electroinitiated polymerization, 2441
Methyl methacrylate emulsion polymerization, 853
Methyl methacrylate graft polymerization, 967; 2221; 3449
Methyl methacrylate, Nylon 6 graft, 1049
Methyl methacrylate, photo-induced graft polymerization, 1413
Methyl methacrylate photopolymerization, 1405
Methyl methacrylate polymerization solution, 2643
Methyl vinylpyridine graft copolymerization, 2565
Mica-filled epoxy resin properties, 813
Mica, plasma-treated polymer composite, 2663; 2675
Microcapsule polystyrene drug release, 3197
Microgel chlorobutyl rubber PS graft, 393
Microgel ultrafiltration solution, 2259
Mixed gases, permeability determination, 287
Modification surface, polyethylene, 3057
Modulus jump, collagen gel, 2871
Moisture permeability, printed circuit adhesives, 1933
Molecular interactions, Van der Waals, 63
Molecular probe PE films, 115
Molecular structure, phenolic resin, 799
Molecular weight averages, GPC correction, 2157
Molecular weight, copolymer composition, 581
Molecular weight correction, polyethylenes, 3313
Molecular weight distribution, cellulose fiber, 1679
Molecular weight distribution control, 55
Molecular weight distribution, electron resists, 2367

Molecular weight distribution, polybutadiene, 765
Molecular weight distribution, poly(methyl methacrylate), 2367
Molecular weight distribution, polystyrene, 1301
Molecular weight distribution, styrene–maleic anhydride copolymer, 1619
Molecular weight distribution, ultrahigh molecular weight; polyethylene, 809
Mono(hydroxyethyl)phthalate, metal salts, 995
Morphological crazing study, 357
Morphology development, polyethylene oxide melts, 1077
Mortar, elastic moduli prediction, 3353
Native crosslinked cotton birefringence, 273
Natural rubber, amorphous viscosity, 1199
Nature adhesive tack studies, 2941
NBR polyblend, viscoelastic data, 2757
NBS 705 polystyrene standards, 3437
Neighboring group effect, kinetic, 1175
Neutral salt technique, swelling cotton, 2347
Newtonian viscosities, melt spinning, 169
Ninomiya–Ferry method, 1787
Ninomiya–Ferry theory, 193
Nitration, nitrocellulose fibers, 153
Nitrile rubber elastomer, VC polyblend, 2715
Nitrobenzene polymerization, acenaphthylene, 1711
Nitrocellulose hydrogen bond, 2607
Nitrocellulose hydroxyl groups, hydrogen bonding, 569
Nitrocellulose polarization colors, 153
Nitrogen adsorption, dyed fiber, 2955
Nitromethane polymerization, acenaphthylene, 1711
NMR analysis, urea formaldehyde copolymer, 1371
NMR beta relaxation, polycarbonate, 2879
NMR ^{13}C cresol, DVB mixture, 3025
NMR carbon-13 epoxy spectra, 1977
Nodular structure, epoxy resins, 2111
Nonpolar–polar parameter, reverse osmosis membrane, 1515
Normal shear stress polymer flow, 25
Notch sensitivity, 2193
NS-100 membrane, reverse osmosis, 303
Nucleation behavior, polyethylene oxide, 1095
Nylon degradation rates, 207
Nylon 6 creep deformation, 345
Nylon 6 diffusion dye mixtures, 105
Nylon 6 dye uptake, 345
Nylon 6 fiber orientation, 1421
Nylon 6 graft copolymerization, 1049
Nylon 6 melt spinning studies, 335
Nylon 66 dye polymer interaction, 403
Nylon 66 polymerization luminescence impurity, 1717
Nylon 66 wet oxidation kinetics, 207
Oil, impact polystyrene, 2095
Oligomer, DVB cresol, 3025
Oligomeric group, IVA ferrocene polyesters, 2255
Optical properties, nitrocellulose, 153
Optimization NS-100 membrane, reverse osmosis, 303
Organic compound polymerization, 1769
Organic compound, plasma polymerization, 543
Orientation crystallization, effect heating Nylon 6, 335
Orientation effect, PC films, 1069
Orientation effect, PVC films, 1069
Orientation effects, polymer electrical properties, 1069
Orientation filler, epoxy resin, 813
Orientation, Nylon 6 fiber, 1421
Osmosis membrane, reverse, 2305
Osmosis membrane, reverse; optimization, 303
Osmosis membrane, reverse; polymeric material, 1515
Osmosis membrane, reverse; transport characteristics, 1491
Oxidation behavior, SIR SBR, 2811
Oxidation, cellulose; hypochlorite, 377
Oxidation, cellulose; presence chelating agents, 385
Oxidation, diphenylalkane, 2581
Oxidation, kinetics atactic polystyrene, 2581
Oxidation model, hydrocarbon cumene, 2581
Ozone treatment, water soluble polymer, 93; 2791
Padding materials, impact behavior, 2893
Padding materials, rate dependant, 2893
Parallel plane, interspacial flow, 315
Particle formation, hydrophillic nature; radicals, 3265
Particles, polystyrene latex; carboxylated, 3255
Particulate-filled polymer, mechanical properties, 1597
Paste cement polymer, hardened, 3337
Paste PVC, aging, 565
Peel strength, phenolic resin, 799
Pendant isocyanate polymer groups, 411; 1795
PEN 2,6 film photodegradation, 1983
Perchloric acid effect, poly-THF, 2821
Performance evaluation, GPC system, 2989
Permeabilities, constant volume/variable pressure apparatus, 1921
Permeability, determination apparatus, 287
Permeability, gas measurements, 287
Permeability moisture, printed circuit adhesives, 1933
Permeability, polyether–polyamide membrane, 773
Permeability, polysulfone hollow fiber, 2377
Peroxysulfate, graft polymerization initiator, 967
PET fiber, fracture surface, 2005
Phase oxidation, aqueous; Nylon 66, 207
Phase transition, 1,3,4 oxadiazole copolymers, 1813
Phenol copolycondensation terephthaloyl chloride, 1849
Phenol effect, polyethylene, 2271
Phenol fluorenone polycarbonate, thermoplastic formation, 3275
Phenolformaldehyde polymer, curing; destruction, 1533
Phenol–formaldehyde reaction, kinetics, 2461
Phenol neopentyl glycol–terephthalate sequence distribution, 949
Phenolic resin, molecular structure, 799
Phenolic resin preparation, 799
Phenyl halomethyl ketone plastic photodegradation, 911
Phosphorescence polyurethane, 1441
Phosphoric acid, cellulose phosphorylation, 2829
Phosphorylation cellulose, degradation product, 2829
Poly(N-vinylcarbazole), reactions, 1803
Photochemistry, benzoyl-naphthol hydroxybenzanthrone, 1145

Photochemistry, MDI-based polyurethane, 1441
Photodegradable styrene copolymer, 2429
Photodegradable vinyl plastics, 463; 911; 921
Photodegradation PEN 2,6 films, 1983
Photoelastic behavior composite system, 1449
Photo-induced graft copolymerization, 1413; 1989
Photoinitiator haloalkyl sulfur compounds, 921
Photoinitiator halocarbonyl compounds, 921
Photo-irradiation-induced fiber radicals, 1997
Photolysis azoisobutyrodinitrile, 2581
Photo-oxidation measurements, plastic photodegradable, 911
Photo-oxidation rate, polypropylene, 1145
Photopolymer synthesis, cationic polymerization, 1133
Photopolymerization, methyl methacrylate, 1405
Phthalic acid ester hydrogen bonding, 569
Physiochemical properties, methyl methacrylate Nylon 6 graft, 1049
Pinene–furfural cation exchanger, 2229; 2239
Pinene–furfural polymeric composition preparation, 2229
Pinene–furfural resin equilibrium, 2239
Piperidine DGE BPA curing reaction, 1977
Plasma, effect deposition rate, 1769
Plasma, fluid mechanical aspect, 1769
Plasma–polymer (substrate) interaction, 543
Plasma polymerization, organic compounds, 543
Plasticized epoxies, crosslinking, 903
Plasticized PVC rupture characteristics, 217
Plasticizer laser-induced decomposition, PVE, 1635
Plasticizer–polycarbonate interaction, 63
Plasticizer solvent power effect, 565
Plasticizing agents, solubility parameters, 41
Plastics, vinyl photodegradable, 463; 911; 921
Plumbite-treated cotton, glassy materials, 2653
PMMA, isotactic, syndiotactic; radical polymerization, 1775
PMR studies, copolyester sequence distribution, 949
PMR technique, mineral oil polystyrene, 2095
Polar interaction, effect acrilan filaments, 41
Polar–nonpolar parameter, reverse osmosis membrane, 1515
Polarization colors, nitrocellulose, 153
Polyacrylamide aqueous solutions, drug reduction, 315
Polyacrylonitrile cellulose graft, 2407
Poly(acrylonitrile-co-styryl isocyanate) synthesis, 1795
Polyacrylonitrile irradiated pressure effect, 2249
Polyamide aromatic osmosis membrane, 1491
Polyamide ester synthesis, 975
Polyamide fiber reaction kinetics, 873
Polyblend, internal properties BA/VS, 2715
Poly[bis(chlorophenoxy)phosphazene] characterization, macromolecular, 3073
Polybutadiene addition variation, geometrical isomerism, 765
Polybutadiene flow behavior, 25
Polybutadiene isophorone diisocyanate systems, 1117
Polybutadiene polar monomer photoelastic analysis, 1449
Polybutadiene swelling behavior, 831
Polycaprolactone bulk degradation, 2963
Polycarbonate amorphous viscosity, 1199
Polycarbonate, dynamic durability, 79
Polycarbonate, low-temperature relaxation, 2879
Polycarbonate, silicone block modified thermoplastic, 3275
Polycarbonate, Van der Waals interaction, 63
Polycomposite behavior, elastic behavior correlation, 2757
Polycondensation, polyamide esters, 975
Polydecamethylene isophthalate heat fusion, 1209
Polyelectrolyte complex, heparin chitosan, 2561
Polyelectrolyte, methacrylate copolymer compressibility, 1673
Polyester, bromostyrene-crosslinked stability, 2971; 2979
Polyester, dynamic compression properties, 2593
Polyester, ferrocene synthesis, 2255
Polyester fiber, ultrasonic wave effect, 1867
Polyester solvent, pulse propagation, 2321
Polyester transition relaxation, 1209; 1217
Polyester, urethane diffusion stabilizer effect, 2533
Polyether–polyamide macrocyclic preparation, 1665
Polyether–polyamide membrane permeability, 773
Polyethylene (CPE) gas permeation, 3105
Polyethylene, crosslinked UV effect, 1627
Polyethylene current noise, 489
Polyethylene film, biphenylphenol effect, 2271
Polyethylene film, UV light sensitivity, 921
Polyethylene films, structural changes, 115
Polyethylene glycol degradation, 93
Polyethylene glycol ozonized, 2791
Polyethylene heat setting, 1823
Polyethylene, high-density; mechanical properties, 1823
Polyethylene, high-density; molecular weight distribution, 2705
Polyethylene, high-density; structure, 1823
Polyethylene, laser pyrolysis, 1661
Polyethylene, low-density branching correction, 3313
Polyethylene melt, elastic property, 2705
Polyethylene, molten; stress growth, 1355
Poly(ethylene oxide), aqueous solution drag reduction, 315
Poly(ethylene oxide), morphol development, 1077
Poly(ethylene oxide) nucleation behavior, 1095
Polyethylene oxidized carbonyl species, 3295
Polyethylene photoactivated degradation, 911
Polyethylene stress relaxation behavior, 2799
Polyethylene styrene grafting, 703
Polyethylene surface modification, 3057
Poly(ethylene terephthalate) creep deformation, 345
Poly(ethylene terephthalate) dye uptake, 345
Poly(ethylene terephthalate) fiber graft copolymerization, 2565
Poly(ethylene terephthalate) film surface energy, 1143
Poly(ethylene terephthalate) flammability, 689
Poly(ethylene terephthalate) polyester, 1209; 1217
Poly(ethylene terephthalate) transition relaxation, 1209; 1217

Polyethylene thermal decomposition, 2045
Polyethylene thermal noise, 489
Polyethylene-treated chromic acid mixture, 2451
Polyethylene twisting influence, 1823
Polyethylene, ultrahigh molecular weight, 809
Polyethylene, untwisting influence, 1823
Polyethylene viscosity ratio, 2609
Polyethyleneimine, polyelectrolyte complex, 3205
Polyethylenimine adsorption, cellulose, 2131
Poly(hexamethylene isophthalate) heat fusion, 1209
Polyimide model compound formation, 2339
Polyisobutene shear degradation, 1289
Polyisobutylene amorphous viscosity, 1199
Polyisobutylene, dynamic rheological properties, 193
Polyisobutylene thermal decomposition, 2045
Polyisoprene birefringence decay, 1573
Polyisoprene flow behavior, 25
Polymer, ABS; particle size, 2691
Polymer alloy, poly(vinylpyrrolidone), 1665
Polymer, amorphous; viscosity pressure, 1199
Polymer, aqueous; solution diffusion, 3247
Polymer, bibenzoxazole; structure–property relationship, 1875
Polymer blend, PVC ABS, 3121
Polymer blend, PVC CPE, 3105
Polymer composite, plasma-treated mica, 2663; 2675
Polymer, crosslinked; glass fiber distributed, 2853
Polymer, crosslinked; short fiber reinforced, 2165
Polymer, crosslinked; viscoelastic property, 2853
Polymer deposition rate, plasma effect, 1769
Polymer diffusion stabilizer, 2533
Polymer, drag reducing cutoff molecular weight, 3017
Polymer, electrical properties, 1069
Polymer, filler relaxation time spectra, 1787
Polymer flow, capillary, 1313
Polymer fluid filament spinnability, 2511
Polymer, gaseous combustion; composition products, 1967
Polymer, gas permeability measurement, 287; 1921
Polymer, gel formation crosslinking, 3375
Polymer, gradient; diffusion polymerization, 2419
Polymer, graft; starch-based, 3175
Polymer, hardened cement paste, 3337
Polymer, heterogeneous; elastic moduli, 3005
Polymer-impregnated mortar, elastic moduli, 3353
Polymer melts, extrusion properties, 501
Polymer melts, rheological properties, 501
Polymer membrane, solute diffusion, 609
Polymer, metal composite, 2575
Polymer, laser pyrolysis, 1661
Polymer, pendant isocyanate groups, 411; 1795
Polymer, polarization-optical investigation, 25
Polymer, particulate-filled; mechanical properties, 1597
Polymer, pyrolysis-molecular weight chromatography, 2045
Polymer reaction, kinetic neighboring group, 1175
Polymer, rheo-optical properties, 1573
Polymer, salt release, 3431
Polymer solution viscometer, 1467
Polymer solutions, ultrafiltration microgel, 2259
Polymer stiffness, molecular, 2863
Polymer synthesis, metal salts, mono(hydroxyethyl)phthalate, 995
Polymer system, microstructure, 2905
Polymer systems, airborne sound, 3387
Polymer systems, sonic vibrations, 3403
Polymer systems, IR analysis, 157
Polymer, thermal degradation, 859
Polymer, thermal properties, 2863
Polymer transition, brittle-ductile, 327
Polymer, vinyl; combustion, 2183
Polymeric composites containing spherical fillers, 561
Polymeric material, stress–strain behavior, 421; 3457
Polymeric materials, notch sensitivity, 2193
Polymeric reverse osmosis membrane material, 1515
Polymerization behavior, carboxylic monomer, 2583
Polymerization, diethylaminostyrene polymer, 639
Polymerization, dimethylaminostyrene polymer, 651
Polymerization, diffusion; gradient polymer, 2419
Polymerization, electrochemical acenaphthylene, 1711
Polymerization, electroinitiated; methyl methacrylate, 2441
Polymerization, emulsion; methyl methacrylate, 853
Polymerization, graft; ethyl acrylate, 573
Polymerization, graft; gel methyl methacrylate, 967
Polymerization, graft; structure polymer, 2221
Polymerization, graft; thiourea-induced, 3449
Polymerization, methacrylate metal oxides, 2643
Polymerization, Nylon 66 luminescence impurity, 1717
Polymerization, organic compounds, 1769
Polymerization, photo; methyl methacrylate, 1405
Polymerization, plasma; organic compounds, 543
Polymerization, radiation; polyacrylamide flocculant, 3233
Polymerization, radical; isotactic syndrotactic PMMA, 1775
Polymerization reaction, dilatometric data, 2473
Polymerization, styrene; presence vinyl sulfone, 351
Polymerization, suspension scale-up, 2299
Polymerization, vinyl; ferric hydroxide–hydrazine initiator, 853
Polymers, stereocomplex viscoelastic properties, 1775
Polymers, water-soluble; ozone treatment, 93; 2791
Polymethacrylate glass bead composite, 841
Polymethacrylonitrile fiber preparation properties, 715
Poly(methyl methacrylate) amorphous viscosity, 1199
Poly(methyl methacrylate) brittle-ductile transition, 1853
Poly(methyl methacrylate) cellulose graft, 2407

Poly(methyl methacrylate) copper electrical conductivity, mechanical properties, 2575
Poly(methyl methacrylate) diffusion, methyl acrylate, 2419
Poly(methyl methacrylate) molecular weight distribution, 2367
Poly(methyl methacrylate) solubility, 2367
Poly(methyl methacrylate) spin probe, 1425
Poly(N-vinylcarbazole) phosphorylation reaction, 1803
Polyorganophosphazene behavior, thermal transition, 3087
Poly(perfluoroether) oxadiazole elastomer system, 1035
Poly(phenylene oxide) UV radiation, 1165
Poly(phenylene sulfide) crystallinity, 2541
Polyphosphazene degradation study, 3073
Polyphosphazenes, thermochemical transitions, 473
Polypropylene, bulk crystallized properties, 2311
Polypropylene, deformation history, 1555
Polypropylene film, UV light sensitivity, 921
Polypropylene, isotatic; bulk crystallized, 9
Polypropylene, laser pyrolysis, 1661
Polypropylene, mechanical properties, 2311
Poly(propylene oxide) graft polymerization backbone, 825
Polypropylene, photo-activated degradation, 911
Polypropylene, photo-oxidation rate, 1145
Polypropylene, thermal decomposition, 2045
Polypropylene, thermally oxidized luminescence, 2553
Polyreaction kinetics, Ziegler–Natta catalysis, 2779
Polysiloxane film, glow discharge, 1611
Polystyrene, amorphous viscosity, 1199
Polystyrene, atactic; differential thermal analysis, 1245
Polystyrene, atactic; oxidation kinetics, 2581
Polystyrene, atactic; torsional braid analysis, 1245
Polystyrene, atactic; transition, 1245; 1277
Polystyrene, brittle-ductile transition, 1853
Poly(styrene-co-styrylisocyanate) synthesis properties, 411
Poly(styrene-co-vinyl stearate) copolymer composition, 581
Polystyrene, current noise, 489
Polystyrene, cyclohexane diffusion data, 1125
Polystyrene degradation, extrusion experiments, 1301
Polystyrene , Dow NBS 705 standards, 3437
Polystyrene, extensional viscosity, 1137
Polystyrene film, glow discharge, 1611
Polystyrene film, UV light sensitivity, 921
Polystyrene-grafted rubber microgel, 393
Polystyrene, heat capacities, 1059
Polystyrene, impact halogen-modified, 2143
Polystyrene, impact; preflame phenomena, 2143
Polystyrene, impact strength, 2285
Polystyrene, laser pyrolysis, 1661
Polystyrene latex preparation, 1745
Polystyrene latex, carboxylated particles, 3255
Polystyrene latex, soap free, 3265
Polystyrene latexes, cationic, 1725; 3133
Polystyrene, melt extrusion, 1313
Polystyrene microcapsule drug release, 3197
Polystyrene, oil determination, 2095
Polystyrene, photo-activated degradation, 911
Polystyrene, shear viscosity, 1313
Polystyrene solution diffusion, 1125
Polystyrene, spin probe, 1425
Polystyrene structure, rubber reinforced, 2285
Polystyrene, thermal degradation, 1955
Polystyrene, thermal degradation kinetics, 2355
Polystyrene, thermal noise, 489
Polystyrene transition, dispersity effect, 1277
Polystyrene, $T_{ll} > T_g$ transition, 2009
Polystyrene, viscosity ratio, 2609
Polysulfide plasticizer, dynamic measurement, 903
Polysulfone film, plasma–polymer interaction, 543
Polysulfone, glass transition temperature, 1885
Polysulfone, hollow fiber spinning, 2377
Polysulfone, sulfonated, 1885
Poly(tetrafluoroethylene), radiochemical grafting, styrene, 243
Polytetramethylene glycol preparation, 2821
Poly(tetramethylene terephthalate) transition relaxation, 1217
Poly-THF molecular weight, acid effect, 2821
Poly-THF, perchloric acid yield effect, 2821
Polyurethane elastomer curing agent, 285
Polyurethane elastomer, dynamic compression properties, 2593
Polyurethane elastomer photochemistry, MDI-based, 1441
Poly(vinyl acetate), amorphous viscosity, 1199
Poly(vinyl alcohol), acetal preparation, 1721
Poly(vinyl alcohol), ethyl cyanacrylate grafting, 3215
Poly(vinyl alcohol) fiber, copolymerization grafting, 1413
Poly(vinyl alcohol) fiber modification, 681
Poly(vinyl alcohol) fiber, radicals, 1997
Poly(vinyl alcohol) grafted exchange resin, 1989
Poly(vinyl alcohol) hydrogel DSC, 1457
Poly(vinyl alcohol), spin probe, 1425
Poly(vinyl chloride), degradation oxidative, 3321
Poly(vinyl chloride), isothermal rupture characteristics, 217
Poly(vinyl chloride) paste aging, 565
Poly(vinyl nitrobenzoate), graft copolymerization; styrene, 1501
Poly(vinylpyrrolidone) membrane permeability, 773
Poly(vinylpyrrolidone) polymer alloy, 1665
Porous films, cellulose acetate–cellulose nitrate, 543
Potassium dichromate–sulfuric acid, cellulose oxidation, 385
Potassium hydroxide, cotton treated, 1689
Potassium permanganate, cellulose oxidation, 385
Power law viscosities, melt spinning, 169
Prediction, adhesive joint strength, 1941
Prediction, elastic moduli polymer, 3005
Preflame phenomena, impact polystyrene, 2143
Preparation bis(chloromethyl) ether, quarnary salts, 2225
Preparation carboxylated isoprene/styrene copolymers, 1735
Preparation, cotton decrystallized; acrylonitrile treatment, 3365
Preparation isocyanate resin copolymers, 3305
Preparation polystyrene latex, carboxylated, 3255

Preparation polytetramethylene glycol, 2821
Pressure effect, free radicals; polyacrylonitrile, 2249
Pressure effect, viscosity polymer, 1199
Pressure effects, undercooling, 9
Pressure, temperature effect; brittle-ductile transition, 1853
Pretreatment cotton, liquid ammonia, 1905
Printed circuit adhesives, 799; 1933
Processing conditions, structure influence, 9
Propellant polymerization, kinetics, 1117
Properties, compressive; urethane foam, 2011
Properties decrimping region, keratin fibers, 1
Properties, engineering mechanical; polypropylene, 2311
Properties, mechanical; bromostyrene polyesters, 2979
Properties, polystyrene microcapsules, 3197
Properties, viscoelastic; amylose–iodine, 2031
Property, mechanical fibers; liquid media, 3033
Propylene oxide, unsaturated polyester synthesis, 995
Protein conversion, sugar, 2083
Pulp graft copolymerization, acrylonitrile, 1543
Pulse propagation, polyester–solvent, 2321
PVA film, hexamethylene diisocyanate reaction, 3241
PVA, photo-irradiation, 1997
PVC/ABS gas permeation, 3121
PVC/CPE gas permeation, 3105
PVC decomposition, laser-induced, 1635
PVC dehydrochlorination, kinetics, 2395
PVC foam, melt rheology, 1187
PVC impact strength, 1331
PVC melt viscoelastic characteristics, 1187
PVC–plasticizer thermodynamic interactions, 1025
PVC radiation protection, 753
PVC reactivity, metal ion, 733; 745
PVC thermal degradation, 2395
PVC thermal stabilizer–UV absorbance interaction, 279
PVC thermal stabilizing agent effectiveness, 283
PVC, viscosity monomolecular melt, 2497
Pyrolysis, laser; polymer, 1661
Pyrolysis–molecular weight chromatography, 931
Pyrolysis–molecular weight chromatography, polymer, 2045
Pyrolysis, residue cellulosic material, 1607
Pyromellitic dianhydride, model imide, 2339
Quantitative determination, oil; polystyrene, 2095
Radiation, protection PVC, 753
Radiation, UV crosslinked; polyethylene, 1627
Radiation, UV; poly(phenylene oxide), 1165
Radiochemical grafting, styrene DTFE, 243
Radical, aromatic; ESR, 1607
Radical initiation, poly(styrene-co-styryl isocyanate), 411
Radical initiators, graft polymerization, 967
Radical polymerization, isotactic syndiotactic PMMA, 1775
Radicals, fiber; poly(vinyl alcohol), 1997
Radicals, growing; effect particle formation, 3265
Rate dependent stress–strain behavior, 421
Rayon fiber modification, PAN PMMA, 2407
RDX hydrogen bonding, 2607
Reaction quarnary salts, bis(chloromethyl) ether, 2225
Reactivity, PVC; metal ion, 733; 745
Reactivity, PVC thermal stabilizers, 557
Recovery, absorption–desorption; organic liquids, 1573
Red phosphorous effect, flammability, 689
Refractometric studies, Van der Waals interactions, 63
Reinforcement, paper; fiber interaction, 2209
Reinforcing effects, various fillers, 121
Rejection increase, swollen ionic membrane, 1153
Relaxation, absorption–desorption organic liquids, 1573
Relaxation, behavior polymethacrylate glass bead, 841
Relaxation, low-temperature; polycarbonate, 2879
Relaxation, polyethylene; molten, 1355
Relaxation time spectra, filled polymers, 1787
Relaxation, transition; polyester, 1209; 1217
Release, slow; salts, polymer, 3431
Residual stress, magnet wire; crazing, 357
Resin, cation exchange; preparation, 2229; 2239
Resin, epoxy; curing, 1977
Resin, isocyanate; amide copolymers, 3305
Resin, pinene–furfural; equilibrium, 2239
Resin, pinene–furfural; preparation, 2229
Resonance simulation, draw; melt spinning, 169
Response time, thrust, 267
Retardancy, flame; polyester, bromostyrene-crosslinked, 2971
Retting, jute; fine structure, 1765
Reuss model, composite elasticity, 891
Reverse osmosis membrane, optimization study, 303
Reverse osmosis membrane, polymeric material, 1515
Reverse osmosis membrane, preparation, 543
Reverse osmosis membrane, transport characteristics, 1491
Rheological, dynamic properties; polyisobutylene, 193
Rheological extrusion properties, polymer melts, 501
Rheological influence, TiO_2, 501
Rheological polystyrene, 1301
Rheological properties, ethylene–vinyl acetate copolymer, 1321
Rheological properties, liquid filament, 2511
Rheological properties, melt spinning, 1005
Rheological properties, polymeric system, 2905
Rheo-optical measurements, polymers, 25
Rheo-optical properties, polymers, 1573
Rheovibron viscoelastometer, tensile mechanical properties, 2593
Rivlin–Thomas relationship, 121
Rubber-based high-impact polystyrene, 393
Rubber, dynamic compression properties, 2593
Rubber, ultimate properties, 121
Rubbery modulus, crosslinked copolymer, 2853
Rupture characteristics, plasticized PVC, 217
Saccharide polymerization, additive methacrylate, 1405
Salicylic acid diffusion, penetrant, 597
Salt permeability, polyether–polyamide membrane, 773
Salt permeability, PVP membrane, 773

Salts, water-soluble polymer release, 3431
Scale-up, suspension polymerization, 2299
Scanning electron microscopy, fracture surface, 2005
Scanning speed, effect DSC, 1715
Scission, radiation-induced gel formation, 3375
Semicontinuous emulsion copolymerization, butylacrylate, 1753
Semicontinuous emulsion copolymerization, styrene, 1753
Sensitivity, notch; polymeric materials, 2193
Sequence distribution, copolyester, 949
Shear degradation, polyisobutene, 1289
Shear stress, conjugate fibers, 2609
Shear stress, polymer flow, 25
Shear viscosity, ethylene–vinyl acetate copolymer, 1321
Shear viscosity, polystyrene, 1313
Shear viscosity, PVC melt, 2497
Sheared poly(ethylene oxide) melts, 1095
Shearing poly(ethylene oxide), morphology development, 1077
Short fibers, composite model, 891
Silicone block-modified polycarbonates, thermoplastic, 3275
Soap-free carboxylated polystyrene latex, 1745
Sodium borohydride, additive laser pyrolysis, 1661
Sodium borohydride, treatment cellulose, 377
Sodium dextran sulfate, polyethyleneine complex, 3205
Sodium hydroxide cotton, treated, 1689
Sodium hypochlorite cellulose oxidation, 385
Solder dip resistance, 1933
Solder dip resistance, phenolic resin, 799
Solubility gases, styrene grafting, 703
Solubility parameters, plasticizing agents, 41
Solubility, poly(methyl methacrylate), 2367
Solute diffusion, polymerization membrane, 609
Solute sorption, diffusion constant determination, 2557
Solution absorption, fibers, 3453
Solution, acidic; methacrylate graft polymerization, 3449
Solution variables, cellulose; dimethyl sulfoxide, 3425
Solvent, concentration dependence; GPC elution volumes, 1483
Solvent, concentration dependence; hydrodynamic volumes, 1483
Solvent cracking conditions, dynamic, 79
Sonic vibrations, damping, 3403
Sorption, diffusion constant determination, 2557
Sound absorption, polymeric systems, 3387
Spin probe, composite material, 1425
Spinnability, polymer fluid filament, 2511
Spinnability, polypropylene, 1555
Spinning, melt; Nylon 6, 335
Spinning, melt; studies, 169; 367
Spinning parameter analysis, polysulfone, 2377
Spinning, polysulfone hollow fiber, 2377
Spectra, relaxation time; filled polymers, 1787
Spectrophotometric determination, dye proportion; styrene, 351
Spectroscopic analysis, complex polymer systems, 157
Spherical filler, polymeric composites strength, 561
Spherulite size, melt history, 9
Stability, liquid filament, 2511
Stability, thermal; bromostyrene crosslinked polyester, 2971
Stability, weathering; polyester bromostyrene, 2979
Stabilizer polymer diffusion, 2533
Starch, graft copolymer, 3201
Statistical mechanical, friction coefficient, 2569
Steps, Ziegler–Natta catalysis, 2779
Stereocomplex polymers, viscoelastic properties, 1775
Stiffness, molecular; polymers, 2863
Strain rate effect, polymer transitions, 327
Stress growth, molten polyethylene, 1355
Stress, internal; polyethylene, low deformation, 2799
Stress, residual; magnet wire, crazing, 357
Stress–strain behavior, polymeric materials, 421
Stress–strain polyurethane elastomer, 1695
Stress–strain properties, keratin fibers, 1
Stress–strain time space, 217
Stretchability, polymethacrylonitrile, 715
Stretching analysis, viscoelastic fluid, 1231
Structural changes, PE films, 115
Structural influence, mechanical properties; polypropylene, 9
Structure, crimped keratin fibers, 1
Structure, fine; jute differentially dried, 1765
Structure, isotatic polypropylene, 2311
Structure, polystyrene; rubber-reinforced, 2285
Structure–property relationship, bibenzoxazole polymers, 1875
Structure, sisal fibers, 2921
Styrene–butadiene–styrene triblock copolymers, 157
Styrene, copolymer GPC, 2429
Styrene, copolymer heat capacity, 1059
Styrene, copolymer molecular weight, 1619
Styrene, copolymer photodegradation, 2429
Styrene, copolymer preparation, 2429
Styrene, dimethylaminostyrene thermal analysis, 661
Styrene, graft copolymerization, 1501
Styrene, graft polyethylene, 703
Styrene grafting, PTFE; radiochemical, 243
Styrene, methacrylate copolymers, 1057
Styrene, poly(dimethylaminostyrene) thermal analysis, 627
Styrene polymerization, presence vinyl sulfone, 351
Styrene, semicontinuous emulsion copolymerization, 1753
Styryl ketone styrene copolymer preparation, 2429
Substituent dialkylamino antioxidant effect, 859
Substituent effect, ferrocene polyester yield, 2255
Sugar conversion, protein, 2083
Sugar derivatives, 6-chlorocarbohydrates, 139
Sulfonated polysulfone, 1885
Sulfur vulcanization, zinc oxide effect, 71
Sulfuric acid, polymerization additive, 2441
Sunlight exposure, vinyl plastic, 921
Surface area, external specific fibers, 3453
Surface basic group, determination, 3133
Surface energy, poly(ethylene terephthalate) film, 1143
Surface exposure, aluminum bonds, 1475
Surface nitrogen adsorption, dyed fiber, 2955

Surface tension, liquid filament, 2511
Swelling agent, ethylenediamine, 2313
Swelling agent, zinc chloride, 2313
Swelling agents, decrystallized cotton, 2837
Swelling, chemically modified cotton, 525
Swelling, cotton; neutral salt technique, 2347
Swelling, mechanical; photoelastic analysis, 1449
Swelling parameter determination, cadoxen, 2347
Swelling, polybutadiene methacrylic acid, 831
Swollen ionic membrane, 1153
Synthesis, alternating polyamide esters, 975
Synthesis, photopolymers; cationic polymerization, 1133
Synthesis, polyacrylamide flocculant, 3233
Synthesis, poly(styrene-co-styryl isocyanate), 411
System, multiphase polymeric microstructure, 2905
System, polymer; damping sonic vibrations, 3403
System, polymeric; sound absorption, 3387
Tack, adhesive studies, 2941
Take-up force, melt spinning, 1005
Tear zone weight, 121
Tearing test, rubber properties, 121
Teflon FEP–gold bonding, 255
Temperature dependence, polyamide fiber kinetics, 873
Temperature effects, undercooling, 9
Temperature pressure effect, brittle-ductile transition, 1853
Temperature profile, filament, 367
Temperature, shear; condition poly(ethylene oxide), 1095
Tensile properties, foam extrusion, 1583
Tensile properties, treated; cotton, 1689
Tensile shear strength, gold–teflon FEP, 255
Tensile strength, polymethacrylonitrile, 715
Terephthalonitrile oxide, cured; elastomers, 1035
Terephthaloyl chloride kinetics, 1849
Terpolymerization TPNO, tricyanobenzene, perfluoroalkylenes, 1035
Tetramethyl-piperidone nitrogen oxide probe, 1425
Tetramethylthiuram disulfide sulfur vulcanization, 71
Textile-treated ESCA, 2483
Theoretical model, elastic behavior; composites, 891
Thermal analysis, dimethylaminostyrene polymers, 627; 651; 661
Thermal analysis, diethylaminostyrene polymer, 639
Thermal conductivity, polyurethane elastomer, 1695
Thermal data, molecular stiffness, 2863
Thermal degradation, chloro carbohydrates, 139
Thermal degradation, polymer, 627; 639; 651; 661; 859
Thermal degradation, polystyrene, 1955
Thermal degradation, polystyrene kinetics, 2355
Thermal degradation, PVC, 2395
Thermal noise, polyethylene, 489
Thermal noise, polystyrene, 489
Thermal stability, PVA fiber, 681
Thermal stabilizer, PVC reactivity, 557
Thermal stabilizing agents, PVC, 283
Thermal volatilization analysis, polystyrene, 1955
Thermochemical transitions, polyphosphazenes, 473
Thermodynamic characteristics, water sorption, 789
Thermodynamic interaction, PVC–plasticizer systems, 1025
Thermogravimetric analysis, dimethylaminostyrene polymer, 627; 639; 651
Thermogravimetric analysis, poly(ethylene terephthalate), 689
Thermoplastic copolyester elastomer, PVC impact strength, 1331
Thermoplastic, flame-resistant; polycarbonate, 3275
Thermoplastic glass bead crazing, 1597
Thermoplastic polymer, mechanical properties, 1597
Thermoplastics, interfacial properties, 435
Thermoplastics, Kevlar-49 fiber-reinforced, 435
Thermoplastics, polycarbonate; bisphenol fluorenone, 3275
Thermosetting polymer, mechanical properties, 1597
Thiourea-induced graft polymerization, 3449
Thiuram-accelerated sulfur vulcanization, 71
Thread instability, polypropylene, 1555
Threadline heating, crystallization; orientation, 335
Thrust response time, 267
Titanium dioxide, extrusion properties; influence, 501
Titanium dioxide influence, rheological properties, 501
TiO_2 effect, polymerization methacrylate, 2643
Toluene, PVA fiber modification, 681
Torsional braid analysis, polystyrene, 1245
Torsional fatigue, polycarbonate, 79
Transglycosylation, 6-chloro carbohydrates, 139
Transition, atactic polystyrene, 1245; 1277
Transition, brittle-ductile, 327
Transition, glass temperature; diethylaminostyrene polymer, 639
Transition, glass temperature; dimethylaminostyrene polymer, 627; 651
Transition, relaxation; polyester, 1209; 1217
Transition, thermal; polyorganophosphazene, 3087
Transition zone, glass–rubber; PVC, 217
Transitions, thermochemical; polyphosphazenes, 473
Transport, reverse osmosis membrane, 1491
Trifluoroacetic acid, polymethacrylonitrile preparation, 715
Trimethylene glycol Di-*p*-aminobenzoate curing agent, 285
Trinitrotoluene–polycarbonate interaction, 63
Triol–diamine curing agent, 1695
Turbulent flow, aqueous polyacrylamide, 315
Turbulent flow, aqueous poly(ethylene oxide), 315
Ultrafiltration, polymer solutions, 2259
Ultrahigh molecular weight, polyethylene, 809
Ultrasonic waves, polyester fibers, 1867
Undercooling bulk crystallization, isotatic polypropylene, 9
Uniaxial extension test, PVC, 217
Uniaxial stress–strain behavior, 421

Unsaturated polyester synthesis, 995
Urea formaldehyde, copolymer NMR analysis, 1371
Urea-treated textile, 2483
Urethane elastomer, heat generation; viscoelastic properties, 1695
Urethane, rigid foam properties, 2011
UV absorbers, PVC thermal stabilizer interaction, 279
UV analysis, polyurethane, 1441
UV irradiation, copolymer oxidation, 2811
UV light exposure, vinyl plastics, 921
UV radiation, crosslinked polyethylene, 1627
UV radiation, poly(phenylene oxide), 1165
UV visible PVC, 2395
Van der Waals interactions, polycarbonate, 63
Vapor permeabilities, polymers, 287
Vapor-phase IR spectrophotometry, 931
VC, VS copolymers, 2715; 2737
Vinyl acetate photo-induced copolymerization, 1989
Vinyl chloride, plasticized, 2757
Vinyl plastic, UV exposure, 921
Vinyl plastic, sunlight exposure, 921
Vinyl plastics, photodegradable, 463; 911; 921
Vinyl polymerization, ferric hydroxide–hydrazine initiator, 853
Vinyl sulfone dyes, polymerization; styrene, 351
Viscoelastic characterization, PVC melts, 1187
Viscoelastic fluid, stretching analysis, 1231
Viscoelastic properties, polyisobutylene, 193
Viscoelastic properties, stereocomplex polymers, 1775
Viscoelastic properties, urethane elastomers, 1695
Viscoelastic property, BA/vinyl copolymers, 2737
Viscometric styrene copolymers, photodegradability, 2429
Viscosities, Newtonian; melt spinning, 169
Viscosities, power law; melt spinning, 169
Viscosity, amorphous polymer pressure, 1199
Viscosity, amorphous polystyrene, 1137
Viscosity, elongational; melt spinning, 1555
Viscosity, elongational; polypropylene, 1555
Viscosity, monomolecular melt; PVC, 2497
Viscosity ratio, polyethylene, 2609
Viscosity ratio, polystyrene, 2609
$VOCl_3$-based Ziegler–Natta catalysts, 55
Voight model, composite elasticity, 891
Volatilization, thermal polystyrene analysis, 1955
VS, VC copolymers, 2715; 2737
Vulcanization, thiuram-accelerated sulfur, 71
Water permeability, polyether–polyamide membrane, 773
Water permeability, PVP membrane, 773
Water polymerization additive, 2441
Water-soluble polymers, ozone treatment, 93
Water sorption, cellulose acetate membrane, 789
Wave, ultrasonic effect; polyester fiber, 1867
Weissenberg rheogoniometer thrust response time, 267
Wet oxidation kinetics, Nylon 66, 207
Williams–Landel–Ferry equation, 1941
Wire magnet residual stress, 357
Wool keratin decrimping parameters, 1
Wool, methyl methacrylate polymerization, 3449
Wunderlich's empirical method, 1059
X-Ray, cotton fibers, 2069
X-Ray diffraction, cotton/jute blends, 3443
X-Ray diffraction, poly(phenylene sulfide), 2541
X-Ray fluorescence, glassy materials, 2653
X-Ray photoelectron spectra, gold–teflon FEP, 255
Xylylenediammonium isophthalate copolyamides, 3183
Young's modulus swelling, cotton fibers, 2069
Ziegler–Natta catalysts, 55
Zinc chloride, cotton effects, 525
Zinc chloride swelling agent, 2313
Zinc oxide concentration effect, 71
Zincoxen solution, cotton fibers; properties, 2069

Journal of Applied Polymer Science

Volume 20, 1976

Editorial Board: H. MARK • A. LEDWITH • M. MORTON
B. RANBY • P. WEISS

Advisory Board:

J. C. ARTHUR, JR.
New Orleans, La.

H. BARTL
Leverkusan, Germany

F. VAN BERKEL
Velp, Holland

R. F. BOYER
Midland, Mich.

J. H. BRADBURY
Canberra, Australia

E. CERNIA
Rome, Italy

H. CHERDRON
Frankfurt, Germany

S. L. COOPER
Madison, Wisc.

W. COOPER
Birmingham, England

H. W. COOVER, JR.
Kingsport, Tenn.

Y. S. ENIKOLOPIAN
Moscow, USSR

F. C. FOSTER
Rolling Meadows, Ill.

H. P. FRANK
Linz, Austria

Z. G. GARDLUND
Warren, Mich.

T. W. GEORGE
Raleigh, N.C.

J. K. GILLHAM
Princeton, N.J.

H. B. HOPFENBERG
Raleigh, N.C.

H. HOPFF
Zurich, Switzerland

F. E. KARASZ
Amherst, Mass.

J. L. KARDOS
St. Louis, Mo.

F. N. KELLEY
Wright-Patterson AFB, Ohio

H. KRAESSIG
Lenzing-Oberosterreich

M. KRYSZEWSKI
Lodz, Poland

J. LE BRAS
Paris, France

M. LEWIN
Jerusalem, Israel

C. W. MACOSKO
Minneapolis, Minn.

D. J. METZ
Upton, N.Y.

S. MORIMOTO
Osaka, Japan

D. MUTTON
Hawkesbury, Ontario

N. OGATA
Tokyo, Japan

N. A. PEPPAS
West Lafayette, Ind.

R. H. PETERS
Manchester, England

H. POHLEMANN
Ludwigshafen, Germany

L. REBENFELD
Princeton, N.J.

F. RODRIQUEZ
Ithaca, N.Y.

H. TSCHAMLER
Vienna, Austria

L. VALTASARRI
Otaniemi, Finland

J. L. WHITE
Knoxville, Tenn.

H. L. WILLIAMS
Toronto, Ontario

E. L. WITTBECKER
Wilmington, Del.

N. WOODING
Coventry, England

An Interscience® Publication
Published by JOHN WILEY & SONS

Copyright © 1976, by John Wiley & Sons, Inc.

Journal of Applied Polymer Science

CONTENTS

Vol. 20, Issue Nos. 1–12

ISSUE NO. 1, JANUARY

E. BALASUBRAMANIAM: Stress-Strain Properties in the Decrimping Region of Chemically Modified Crimped Keratin Fibers, with Special Reference to the Stability of Crimp Structure 1

J. H. REINSHAGEN and R. W. DUNLAP: The Influence of Structure and Processing Conditions on Engineering Mechanical Properties in Bulk Crystallized Isotactic Polypropylene 9

V. I. BRIZITSKY, G. V. VINOGRADOV, A. I. ISAEV, and Yu. Ya. PODOLSKY: Polarization-Optical Investigation of Normal and Shear Stresses in Flow of Polymers 25

Z. GUR-ARIEH, W. INGAMELLS, and R. H. PETERS: The Effect of Plasticizing Compounds on Acrylic Fibers 41

G. A. MORTIMER: Molecular Weight and Molecular Weight Distribution Control in HDPE with $VOCl_3$-Based Ziegler—Natta Catalysts 55

L. MAKARUK, H. POLAŃSKA, and E. STAROS: Refractometric and Calorimetric Studies of the Van der Waals Interactions Between the Molecules of Polycarbonate and of the Additives Acting as Plasticizers or Antiplasticizers 63

V. DUCHÁČEK: Effect of Zinc Oxide Concentration on the Course of Thiuram-Accelerated Sulfur Vulcanization 71

F. OHISHI, S. NAKAMURA, D. KOYAMA, K. MINABE, Y. FUJISAWA, and Y. TSURUGA: Factors Affecting Dynamic Durability of Polycarbonate under Bending, Torsional, and Impacting Fatigue and in Cavitation Erosion and Dynamic Solvent Cracking Conditions 79

J. SUZUKI: Study on Ozone Treatment of Water-Soluble Polymers. I. Ozone Degradation of Polyethylene Glycol in Water 93

J.-W. KIM and T. IIJIMA: Diffusion of Dye Mixtures in Nylon 6. Binary Mixtures of Disperse Dyes 105

Y.-S. LIPATOV, E. G. MOISYA, P. N. LOGVINENKO, and G. Ya. MENGERES: Structural Changes in Polyethylene Films at Small Deformations 115

J. GLUCKLICH and R. F. LANDEL: The Tearing Test as a Means for Estimating the Ultimate Properties of Rubber 121

F. SHAFIZADEH, Y. Z. LAI, and C. R. NELSON: Thermal Degradation of 6-Chloro Carbohydrates 139

J. A. KOHLBECK and W. T. BOLLETER: Polarization Colors of Nitrocellulose 153

M. V. SEFTON and E. W. MERRILL: Infrared Spectroscopic Analysis of Complex Polymer Systems 157

H. ISHIHARA and S. KASE: Studies on Melt Spinning. VI. Simulation of Draw Resonance Using Newtonian and Power Law Viscosities 169

A. N. DUNLOP and H. L. WILLIAMS: Dynamic Rheological Properties of Polyisobutylene 193

D. W. SUNDSTROM, A. J. LUCIANO, and H. E. KLEI: Kinetics of Wet Oxidation of Nylon 66 207

E. M. SMOLEY: Isothermal Rupture Characteristics of a Plasticized Poly (vinyl Chloride) in the Glass–Rubber Transition Zone 217

S. MUNARI, F. VIGO, M. NICCHIA, and P. CANEPA: Hyperfiltration Membranes Prepared by Radiochemical Grafting of Styrene Onto Poly(tetrafluoroethylene). Influence of the Size and Shape of Emulsion Particles Used to Obtain the PTFE Film 243

R. F. ROBERTS, F. W. RYAN, H. SCHONHORN, G. M. SESSLER, and J. E. WEST: Increase of Gold–Teflon FEP Joint Strength by Removal of Deposited Aluminum Prior to Gold Deposition for Electret Applications 255

NOTES

F. NAZEM and R. P. MCCABE: Direct Measurement of the Thrust Response Time in a Modified Weissenberg Rheogoniometer 267

G. M. VENKATESH and N. E. DWELTZ: Birefringence of Native, Alkali-Swollen, and Crosslinked Cotton Fibers 273

J. WYPYCH: Interaction of PVC Thermal Stabilizers and UV Absorbers 279

J. WYPYCH: Analysis of Effectiveness of PVC Thermal Stabilizing Agents by Conductometric Method 283

R. C. BARON, L. D. CERANKOWSKI, N. MATTUCCI, and L. D. TAYLOR: On the Use of Trimethylene Glycol Di-*p*-aminobenzoate as a Curing Agent for Polyurethane Elastomers 285

ISSUE NO. 2, FEBRUARY

D. G. PYE, H. H. HOEHN, and M. PANAR: Measurement of Gas Permeability of Polymers. II. Apparatus for Determination of Permeabilities of Mixed Gases and Vapors 287

H. H. P. FANG and E. S. K. CHIAN: Optimization of NS-100 Membrane for Reverse Osmosis 303

D. B. CLARK and F. RODRIGUEZ: A Comparison of Drag Reduction for Flows in Circular Tubes with Flow Between Parallel Planes 315

S. WU: Effects of Strain Rate and Comonomer on the Brittle-Ductile Transition of Polymers 327

T. ISHIBASHI and T. ISHII: Studies on the Melt Spinning of Nylon 6. II. Effect of Heating the Threadline upon Orientation and Crystallization 335

V. B. GUPTA and G. R. SUDARSHANA: Correlation Between Creep and Dyeability of Fibers 345

T. KONSTANTINOVA and A. DRAGANOV: On the Polymerization of Styrene in the Presence of Vinyl Sulfone Dyes 351

S. MASUDA and N. ASANO: The Residual Stress of Magnet Wire and Crazing 357

T. MATSUO and S. KASE: Studies on Melt Spinning. VII. Temperature Profile Within the Filament 367

V. A. SHENAI and K. K. SHARMA: Studies in Chemically Modified Celluloses. VIII. Hypochlorite Oxidation of Cellulose in the Presence of Cuprous Hydroxide 377

V. A. SHENAI and A. G. DATE: Studies in Chemically Modified Celluloses. IX. Oxidation of Cellulose in the Presence of Chelating Agents 385

T. HUFF: Chlorobutyl Rubber-Based High-Impact Polystyrene 393

A. M. ATHALE and M. R. PADHYE: Dye-Polymer Interaction in Nylon 66 403

A. LIEBERSOHN and D. H. KOHN: Polymers with Pendant Isocyanate Groups. I. Dual Synthesis and Properties of Poly(styrene-co-Styryl Isocyanate) 411

M. H. SADD and D. H. MORRIS: Rate-Dependent Stress-Strain Behavior of Polymeric Materials 421

D. B. EAGLES, B. F. BLUMENTRITT and S. L. COOPER: Interfacial Properties of Kevlar-49 Fiber-Reinforced Thermoplastics 435

J. F. KENNEY and P. J. PATEL: Properties of Alpha-Methylstyrene-Methacrylonitrile Copolymer 449

J. F. KENNEY and P. J. PATEL: Processing Characteristics of Alpha-Methylstyrene-Methacrylonitrile Copolymer 457

B. FREEDMAN and M. J. DIAMOND: Photodegradable Vinyl Plastics. I. Effect of N-Halogen Additives 463

T. M. CONNELLY, JR. and J. K. GILLHAM: Polyphosphazenes: Thermomechanical Transitions 473

C. KLASON and J. KUBÁT: Thermal and Current Noise in Carbon Black-Filled Polystyrene and Polyethylene in the Vicinity of T_g and T_m 489

N. MINAGAWA and J. L. WHITE: The Influence of Titanium Dioxide on the Rheological and Extrusion Properties of Polymer Melts 501

S. N. PANDEY and P. NAIR: Studies on Chemically Modified Cotton. V. Effect of Zinc Chloride Solutions on Swelling and Other Properties of Cotton 525

H. YASUDA, H. C. MARSH, E. S. BRANDT, and C. N. REILLEY: Preparation of Composite Reverse Osmosis Membranes by Plasma Polymerization of Organic Compounds. IV. Influence of Plasma-Polymer (Substrate) Interaction 543

NOTES

J. WYPYCH: Reactivity of PVC Thermal Stabilizers with Hydrogen Chloride in Alcoholic Solutions 557

L. NICOLAIS and R. A. MASHELKAR: The Strength of Polymeric Composites Containing Spherical Fillers 561

D. C. H. BIGG and R. J. HILL: The Effect of Plasticizer Solvent Power on the Aging of Poly(vinyl Chloride) Pastes 565

B. W. BRODMAN, M. P. DEVINE, and M. T. GURBARG: Hydrogen Bonding of Phthalic Acid Esters to Unesterified Hydroxyl Groups in Nitrocellulose 569

Information for Contributors 571

ISSUE NO. 3, MARCH

I. SAKATA and D. A. I. GORING: Corona-Induced Graft Polymerization of Ethyl Acrylate onto Cellulose Film 573

F. M. MIRABELLA, JR, E. M. BARRALL II, E. F. JORDAN, JR., and J. F. JOHNSON: Copolymer Composition as a Function of Molecular Weight and the Effect of Conversion on This Relationship 581

P. B. IYER, K. R. K. IYER, and N. B. PATIL: An Infrared Technique for the Quick Analysis of Cotton–Polyester Blends 591

D. F. HEMMING, J. D. COLLINS, and A. DATYNER: The Effect of Competitive Adsorption on the Rate of Diffusion 597

D. R. PAUL, M. GARCIN, and W. E. GARMON: Solute Diffusion Through Swollen Polymer Membranes 609

R. H. STILL and A. WHITEHEAD: Thermal Degradation of Polymers. X. Thermal Analysis Studies on Poly (*p*-N,N-dimethylaminostyrene) Homopolymers and Copolymers with Styrene in Nitrogen 627

S. OPREA and R. H. STILL: Thermal Degradation of Polymers. XI. Synthesis, Polymerization, and Thermal Characterization of Polymers of *p*-N,N-Diethylaminostyrene in Nitrogen 639

S. OPREA and R. H. STILL: Thermal Degradation of Polymers. XII. Synthesis, Polymerization, and Thermal Characterization of Polymers of *m*-N,N-Dimethylaminostyrene in Nitrogen 651

R. H. STILL and A. WHITEHEAD: Thermal Degradation of Polymers. XIII. Thermal Analysis Studies on *p*-N,N-Dimethylaminostyrene Homopolymers and Copolymers with Styrene in Air 661

D. S. VARMA and C. NEDUNGADI: Modification of Poly(vinyl Alcohol) Fibers by Hexamethylene Diisocyanate 681

A. GRANZOW and J. F. CANNELONGO: The Effect of Red Phosphorus on the Flammability of Poly(ethylene Therephthalate) 689

K. TOI, K. IGARASHI, and T. TOKUDA: Effect of Styrene Grafting on Diffusion and Solubility of Gases in Polyethylene 703

M. MIYANOKI and Y. JOH: Preparation and Properties of Fibers from a Crystalline Polymethacrylonitrile 715

T. NAKAGAWA, J. TANIGUCHI, and Y. FUJIWARA: Reactivity of Poly(vinyl Chloride) Containing N-Methyl-N-Carboxymethyl Dithiocarbamate Toward Metal Ions in Heterogeneous System and Effect of γ-Irradiation on the Reactivity 733

T. NAKAGAWA, N. OISHI, and Y. FUJIWARA: Reactivity of Poly(vinyl Chloride) Containing N-Methyl Dithiocarbamate Toward Metal Ions in Heterogeneous System and Effect of γ-Irradiation on the Reactivity 745

T. NAKAGAWA and Y. FUJIWARA: Radiation Protection of Poly(vinyl Chloride) by N,N-Dialkyl Dithiocarbamate Substitution 753

F. M. MIRABELLA, JR., E. M. BARRALL II, and J. F. JOHNSON: The Determination of the Addition Variation and Geometrical Isomerism of a Polybutadiene as a Function of Molecular Weight by Preparative Gel Permeation Chromatography and Infrared Analysis 765

E. SHCHORI and J. JAGUR-GRODZINSKI: Permeabilities to Salts and Water of Macrocyclic Polyether–Polyamide Membranes 773

H. G. BURGHOFF and W. PUSCH: Thermodynamic and Mechanistic Characterization of Water Sorption in Homogeneous and Asymmetric Cellulose Acetate Membranes 789

I. NAMIKI: Effect of Molecular Structure of Phenolic Resin on Solder Dip Resistance and Peel Strength of Printed Circuit Adhesives 799

A. M. CRUGNOLA, E. L. RADIN, R. M. ROSE, I. L. PAUL, S. R. SIMON, and M. B. BERRY: Ultrahigh Molecular Weight Polyethylene as Used in Articular Prostheses (A Molecular Weight Distribution Study) 809

K. IISAKA and K. SHIBAYAMA: Effect of Orientation of Two-Dimensional Filler on Dynamic Mechanical Properties of Cured Epoxy Resin 813

H. H. FALL: Azeotropic Graft Polymerizations of Dienes and Acrylonitrile onto Poly (propylene Oxide) 825

F. DE CANDIA, A. TAGLIALATELA, and V. VITTORIA: Structure–Property Relationships in Crosslinked Networks from *cis*-1,4-Polybutadiene and Methacrylic Acid. Swelling Behavior 831

J. KOLAŘÍK, J. JANÁČEK, and L. NICOLAIS: Dynamic Mechanical Behavior of Poly(2-hydroxyethyl Methacrylate)–Glass Beads Composites 841

NOTES

C. W. BROWN and M. A. CHUGHTAI: The Ferric Hydroxide-Hydrazine System as an Initiator of Vinyl Polymerization. II. The Emulsion Polymerization of Methyl Methacrylate 853

ISSUE NO. 4, APRIL

S. OPREA and R. H. STILL: Thermal Degradation of Polymers. XIV. Thermal Analysis Studies in Air on Homopolymers of *m*-N,N-Dimethylaminostyrene and *p*-N,N-Diethylaminostyrene and their Copolymers with Styrene 859

N. BHATTACHARYYA and H. T. LOKHANDE: Kinetics of Hydrolysis, Acetylation, and Deamination Reactions on Polyamide Fibers in Heterogeneous Medium 873

A. GHESQUIERE: Theoretical Model for the Elastic Behavior of Composites Reinforced with Short Fibers 891

G. C. PAPANICOLAOU, S. A. PAIPETIS, and P. S. THEOCARIS: Crosslinking Studies in Plasticized Epoxies by Means of Dynamic Measurements 903

B. FREEDMAN: Photodegradable Vinyl Plastics. II. Effect of Arylmethyl Halides, Phenyl Halomethyl Ketones, and Haloalkene Additives 911

B. FREEDMAN: Photodegradable Vinyl Plastics. III. Comparison of Ultraviolet Light and Sunlight Exposure 921

E. KIRAN and J. K. GILLHAM: Pyrolysis–Molecular Weight Chromatography–Vapor-Phase Infrared Spectrophotometry: A New On-Line System for Analysis of Polymers. I. Instrumentation 931

E. V. GOUINLOCK, R. A. WOLFE, and J. C. ROSENFELD: Copolyester Sequence Distribution by 60, 100, and 220 MHz PMR 949

F. M. MIRABELLA, JR. and E. M. BARRALL II: The Determination of Copolymer Composition as a Function of Molecular Weight by Preparative Gel Permeation Chromatography and Comparison to the Rapid Stop-and-Go GPC/IR Method 959

T. KUWAJIMA, H. YOSHIDA, and K. HAYASHI: Graft Polymerization of Methyl Methacrylate Onto Gelatin 967

S. KATAYAMA, T. MURAKAMI, Y. TAKAHASHI, H. SERITA, Y. OBUCHI, and T. ITO: Synthesis of Alternating Polyamide Esters by Melt and Solution Polycondensations of N,N'-Di(6-hydroxycaproyl) diamines and N-6-Hydroxycaproyl Aminoalcohol with Terephthalic and Adipic Dimethyl Esters and Dichlorides 975

H. MATSUDA: Synthesis of Polymers by Using Divalent Metal Salts of Mono(hydroxyethyl) Phthalate: Unsaturated Polyesters from Metal Salts, Glycol, Anhydrides, and Epoxides 995

J. L. WHITE and J. F. ROMAN: Extrudate Swell During the Melt Spinning of Fibers—Influence of Rheological Properties and Take-up Force 1005

C. S. SU, D. PATTERSON, and H. P. SCHREIBER: Thermodynamic Interactions and the Properties of PVC–Plasticizer Systems 1025

R. E. COCHOY: Poly(perfluoroether) Oxadiazole Elastomer System Cured with Terephthalonitrile Oxide 1035

S. H. ABDEL-FATTAH, E. ALLAM, and M. A. MOHARRAM: Some Physicochemical Properties of Methyl Methacrylate-Grafted Nylon 6. II 1049

J. H. LAI: Heat Capacity of Random Copolymers of Styrene and Methacrylates 1059

M. A. BAGIROV, S. A. ABASOV, V. P. MALIN, and A. YA. JALILOV: Effect of Orientation on Electrical Properties of Polymers 1069

R. D. ULRICH and F. P. PRICE: Morphology Development During Shearing of Poly(ethylene Oxide) Melts 1077

R. D. ULRICH and F. P. PRICE: Nucleation Behavior of Sheared Poly(ethylene Oxide) Melts 1095

W. LUBERT, M. RINK, and A. PAVAN: Force-Displacement Evaluation of Macromolecular Materials in Flexural Impact Tests. I. Apparatus and Data Handling 1107

R. Y. YEE and A. ADICOFF: Polymerization Kinetics in Propellants of the Hydroxyl-Terminated Polybutadiene–Isophorone Diisocyanate System 1117

J. S. VRENTAS and J. L. DUDA: Diffusion in Infinitely Dilute Polystyrene Solutions 1125

NOTES

T. NISHIKUBO, T. ICHIJYO, and T. TAKAOKA: Untersuchung von Fotopolymeren. XII. Synthese von Fotopolymeren durch kationische Polymerisation von Vinyloxiäthylacrylat und Vinyloxiäthylsolvat in einigen Acrylestern 1133

A. E. EVERAGE, JR. and R. L. BALLMAN: Extensional Viscosity of Amorphous Polystyrene 1137

T. J. BURGER: The Surface Energy of Poly(ethylene Terephthalate) Film 1143

ISSUE NO. 5, MAY

P. BENTLEY and J. F. MCKELLER: The Photochemistry of 1-Benzoyl-2-naphthol and 6-Hydroxybenzanthrone and their Effect on the Rate of Photo-oxidation of Polypropylene 1145

P. M. VAN DER VELDEN and C. A. SMOLDERS: Initial Flux Decline and Initial Rejection Increase for Swollen Ionic Membranes 1153

A. DAVIS, G. H. W. DEANE, D. GORDON, G. V. HOWELL, and K. J. LEDBURY: A World-Wide Program for the Continuous Monitoring of Solar UV Radiation Using Poly(phenylene Oxide) Film, and a Consideration of Results 1165

P. KRISHNASWAMI and D. P. YADAV: Effect of Four Neighboring Groups in Kinetics of Polymer Reactions 1175

N. NAKAJIMA, D. W. WARD, and E. A. COLLINS: Viscoelastic Characterization of PVC Plastisol Melts for Foam Applications 1187

P. H. GOLDBLATT and R. S. PORTER: A Comparison of Equations for the Effect of Pressure on the Viscosity of Amorphous Polymers 1199

H. K. YIP and H. L. WILLIAMS: Transitions and Relaxations of Linear Polyesters Related to Poly(ethylene Terephthalate). I. Melting 1209

H. K. YIP and H. L. WILLIAMS: Transitions and Relaxations of Linear Polyesters Related to Poly(ethylene Terephthalate). II. Glassy and Gamma 1217

R. Y. TING: An Analysis of Unsteady One-Dimensional Stretching of a Viscoelastic Fluid 1231

S. J. STADNICKI, J. K. GILLHAM, and R. F. BOYER: The T_{ll} ($> T_g$) Transition of Atactic Polystyrene 1245

C. A. GLANDT, H. K. TOH, J. K. GILLHAM, and R. F. BOYER: Effect of Dispersity on the T_{ll} ($> T_g$) Transition in Polystyrene 1277

K. B. ABBÅS and R. S. PORTER: Shear Degradation of Polyisobutene 1289

K. B. ABBÅS and R. S. PORTER: Polystyrene Degradation in Model Extrusion Experiments 1301

K. K. CHEE and Y. H. YAP: Polymer Flow Through Capillaries of Variable Diameter ... 1313

M. JACOVIC, M. YAMADA, W. J. MACKINGHT, and R. S. PORTER: Rheological Properties of Partially Hydrolyzed Ethylene–Vinyl Acetate Copolymers 1321

T. NISHI and T. K. KWEI: Improvement of the Impact Strength of a Blend of Poly(vinyl Chloride) with Copolyester Thermoplastic Elastomer by Heat Treatment 1331

B. KUNST, D. ŠKEVIN, G. DEŽELIĆ, and J. J. PETRES: A Light-Scattering and Membrane Formation Study on Concentrated Cellulose Acetate Solutions 1339

F. NAZEM and M. G. HANSEN: Stress Growth and Relaxation of a Molten Polyethylene in a Modified Weissenberg Rheogoniometer 1355

C. DUCLAIROIR and J.-C. BRIAL: Analyse par Résonance Magnétique Nucléaire des Polycondensats Urée-Formol 1371

H. GONZALEZ, JR. and W. J. STOWELL: Development of an Autographic Falling-Weight Impact System 1389

H. KUBOTA, Y. OGIWARA, and K. MATSUZAKI: Photopolymerization of Methyl Methacrylate in the Presence of Saccharide 1405

Y. OGIWARA, T. YASUNAGA, and H. KUBOTA: Photo-Induced Graft Copolymerization of Methyl Methacrylate on Oxidized Poly(vinyl Alcohol) Fiber 1413

NOTES

T. ISHIBASHI and J. FURUKAWA: Orientierung von Nylon-6-Fäden beim Schmelzspinnen 1421

H. YOSHIOKA, S. UNO, and F. HIGASHIDE: Spin Probe Study of Composite Materials .. 1425

ISSUE NO. 6, JUNE

C. L. BRETT: The Effect of State of Cure on Bond Performance for an Epoxy Resin System 1431

N. S. ALLEN and J. F. MCKELLAR: Photochemical Reactions in an MDI-Based Elastomeric Polyurethane 1441

F. DE CANDIA, A. TAGLIALATELA, and V. VITTORIA: Structure-Property Relationships in Some Composite Systems. Deformation Mechanism 1449

N. A. PEPPAS and E. W. MERRILL: Differential Scanning Calorimetry of Crystallized PVA Hydrogels 1457

K. K. CHEE, K. SATO, and A. RUDIN: Falling Coaxial Cylinder Viscometer for Polymer Solutions 1467

D. W. LEVI, W. C. TANNER, M. C. ROSS, R. F. WEGMAN, and M. J. BODNAR: Effect of Surface Exposure Time on Bonds to Aluminum 1475

A. RUDIN and R. A. WAGNER: Solvent and Concentration Dependence of Hydrodynamic Volumes and GPC Elution Volumes 1483

J. M. DICKSON, T. MATSUURA, P. BLAIS, and S. SOURIRAJAN: Some Transport Characteristics of Aromatic Polyamide Membranes in Reverse Osmosis 1491

S. NAKAMURA, H. SATO, and K. MATSUZAKI: Graft Copolymerization of Styrene onto Poly(vinyl *p*-Nitrobenzoate) by Chain Transfer Reaction 1501

T. MATSUURA, P. BLAIS, and S. SOURIRAJAN: Polar and Nonpolar Parameters for Polymeric Reverse Osmosis Membrane Materials from Liquid Chromatographic Data ... 1515

H. ALAMINOV, R. MARKOVA, and S. SLAVOVA: Investigation on Curing and Destruction of Crosslinked Modified Phenolformaldehyde Polymers 1533

V. HORNOF, B. V. KOKTA, and J. L. VALADE: The Xanthate Method of Grafting. IV. Grafting of Acrylonitrile onto High-Yield Pulp 1543

C. D. HAN and Y. W. KIM: Studies on Melt Spinning. VI. The Effect of Deformation History on Elongational Viscosity, Spinnability, and Thread Instability 1555

D. G. LEGRAND: Rheo-Optical Properties of Polymers: Relaxation and Recovery During Absorption and Desorption of Organic Liquids 1573

C. D. HAN, Y. W. KIM, and K. D. MALHOTRA: A Study of Foam Extrusion Using a Chemical Blowing Agent 1583

M. NARKIS: Some Mechanical Properties of Particulate-Filled Thermosetting and Thermoplastic Polymers 1597

A. J. NANASSY: ESR *g*-Shift Measures Pyrolytic Deoxygenation and the Effect of Flame Retardants 1607

Y. SEGUI and B. AI: Gas Discharge in Hexamethyldisiloxane 1611

C. D. CHOW: Molecular Weights of Styrene–Maleic Anhydride Copolymers 1619

J. MILTZ and M. NARKIS: The Effect of Ultraviolet Radiation on Chemically Crosslinked Low-Density Polyethylene 1627

R. M. LUM: Laser-Induced Decomposition of PVC 1635

S. M. BETRABET and K. M. PARALIKAR: Cellulase Dissolution Technique for the Study of Chemically Modified and Crosslinked Cotton 1651

Y. UEGAKI and T. NAKAGAWA: Laser Pyrolysis of Some Polymers in the Presence of Sodium Borohydride 1661

E. SCHCHORI and J. JAGUR-GRODZINSKI: Polymeric Alloys of Poly(vinylpyrrolidone) with a Macrocyclic Polyether-Polyamide 1665

A. R. DEWHARE and P. ROY-CHOWDHURY: The Adiabatic Compressibility of Polyelectrolytes: Sodium and Hydrochloride Salts of Acrylic Acid–N-Dimethylaminoethyl Methacrylate Copolymer 1673

Y. KUSAMA, E. KAGEYAMA, M. SHIMADA, and Y. NAKAMURA: Molecular Weights and Molecular Weight Distributions of Irradiated Cellulose Fibers by Gel Permeation Chromatography 1679

S. H. ZERONIAN, K. W. ALGER, and K. E. CABRADILLA: Tensile Properties of Cotton Treated with Alkali Metal Hydroxides 1689

C. J. ONG and R. SAXON: Viscoelastic Properties and Heat Generation in Urethane Elastomers 1695

NOTES

Y. KIKUCHI and A. MATSUNO: Electrochemical Polymerization of Acenaphthylene in Nitrobenzene and Nitromethane 1711

N. A. PEPPAS: Effect of Scanning Speed of DSC on Determination of Melting Points of Crosslinked Polymers 1715

N. S. ALLEN, J. F. MCKELLAR, and C. B. CHAPMAN: Formation of Luminescent Impurities During the Polymerization of Nylon 66 1717

L. D. TAYLOR and B. BIASOTTI: The Synthesis of Acetals of Poly(vinyl Alcohol) which Show Lower Consolute Temperature Behavior in Water 1721

Information for Contributors 1723

ISSUE NO. 7, JULY

K. SAKOTA and T. OKAYA: Preparation of Cationic Polystyrene Latexes in the Absence of Emulsifiers 1725

K. SAKOTA and T. OKAYA: Preparation and Characterization of Carboxylated Isoprene/Styrene Copolymer Latexes 1735

K. SAKOTA and T. OKAYA: Preparation and Characterization of Soap-Free Carboxylated Polystyrene Latexes 1745

J. ŠŇUPÁREK, JR., and F. KRŠKA: Semicontinuous Emulsion Copolymerization of Styrene and Butyl Acrylate 1753

P. K. RAY, A. C. CHAKRAVARTY, and S. B. BANDYOPADHYAY: Fine Structure and Mechanical Properties of Jute Differently Dried After Retting 1765

H. YASUDA and T. HSU: Polymerization of Organic Compounds in an Electrodeless Glow Discharge. VII. A Fluid Mechanic Aspect of Plasma and Its Effect on the Polymer Deposition Rate 1769

Y. MORI and H. TANZAWA: Viscoelastic Properties of Stereocomplex Polymers 1775

YU. S. LIPATOV, V. F. BABICH, and V. F. ROSOVIZKY: Effect of Filler on the Relaxation Time Spectra of Filled Polymers 1787

A. LIEBERSOHN and D. H. KOHN: Polymers with Pendant Isocyanate Groups. II. Dual Synthesis and Properties of Poly(acrylonitrile-co-Styryl Isocyanate) 1795

J. PIELICHOWSKI and E. MORAWIEC: Chemical Modification of Poly(N-vinylcarbazole) 1803

I. K. VARMA, C. K. GEETHA, and VEENA: Poly(ethenyl-1,3,4-oxadiazole-2,5-diyl-1,4-phenylene). Electrical Properties and Phase Transition Studies 1813

G. M. SZE, J. E. SPRUIELL, and J. L. WHITE: The Influence of Drawing, Twisting, Heat Setting, and Untwisting on the Structure and Mechanical Properties of Melt-Spun High-Density Polyethylene Fiber 1823

E. TURSKA, S. BORYNIEC, and R. JANTAS: Kinetic Studies on Copolycondensation Processes. III. Kinetic Studies on Copolycondensation of Terephthaloyl Chloride with Bisphenols in Solution 1849

K. MATSUSHIGE, S. V. RADCLIFFE, and E. BAER: The Pressure and Temperature Effects on Brittle-to-Ductile Transition in PS and PMMA 1853

A. WŁOCHOWICZ and W. WIŚNIEWSKA: The Effect of Ultrasonic Waves on the Structure of Polyester Fibers (PET) 1867

J. K. GILLHAM and C. K. SCHOFF: Structure–Property Relationships in Bibenzoxazole Polymers Containing Fluorocarbon Linkages 1875

A. NOSHAY and L. M. ROBESON: Sulfonated Polysulfone 1885

H. Z. JUNG, R. J. BERNI, R. R. BENERITO, and M. W. PILKINGTON: Fabric Properties of Butadienediepoxide-Treated Cottons as Affected by Liquid Ammonia Pretreatments 1905

D. G. PYE, H. H. HOEHN, and M. PANAR: Measurement of Gas Permeability of Polymers. I. Permeabilities in Constant Volume/Variable Pressure Apparatus 1921

I. NAMIKI: Relations Between Solder Dip Resistance and Moisture Permeability of Printed Circuit Adhesives 1933

V. RAYATSKAS and V.-P. PEKARSKAS: Possibilities of Strength Prediction of Adhesive Joints of Polymers by Master Curve Method 1941

Y. MEHMET and R. S. ROCHE: A Study of the Thermal Degradation of Polystyrene by Thermal Volatilization Analysis 1955

T. MORIMOTO, K.-I. TAKEYAMA, and F. KONISHI: Composition of Gaseous Combustion Products of Polymers 1967

S. A. SOJKA and W. B. MONIZ: The Curing of an Epoxy Resin as Followed by Carbon-13 NMR Spectroscopy 1977

I. OUCHI, M. HOSOI, and F. MATSUMOTO: Photodegradation of Poly(ethylene 2,6-Naphthalate) Films 1983

K. ARAI and Y. OGIWARA: Preparation of Poly(vinyl Alcohol)-Grafted Ion Exchange Resin and Its Catalytic Activity. I. Photo-Induced Graft Copolymerization of Vinyl Acetate on Ion Exchange Resin 1989

Y. OGIWARA, T. YASUNAGA, and H. KUBOTA: Poly(vinyl Alcohol) Fiber Radicals Induced by Photo-Irradiation at Room Temperature 1997

NOTES

V. B. GUPTA: The Fracture Surface of Poly(ethylene Terephthalate) Fiber as Revealed by Scanning Electron Microscopy 2005

ERRATUM

C. A. GLANDT, H. K. TOH, and J. K. GILLHAM: Effect of Dispersity on the $T_{II}(>T_g)$ Transition in Polystyrene 2009

ISSUE NO. 8, AUGUST

S. L. DEGISI and T. E. NEET: Predicting the Compressive Properties of Rigid Urethane Foam 2011

T. AMARI and M. NAKAMURA: Viscoelastic Properties of Aqueous Solutions of Amylose–Iodine Complex at Ultrasonic Frequencies 2031

E. KIRAN and J. K. GILLHAM: Pyrolysis-Molecular Weight Chromatography: A New On-Line System for Analysis of Polymers. II. Thermal Decomposition of Polyolefins: Polyethylene, Polypropylene, Polyisobutylene 2045

S. G. SHENOUDA and F. HAPPEY: X-Ray Study of Crystalline Character and Mechanical Properties of Cotton Fibers Swollen in Zincoxen Solution 2069

O. BOBLETER, R. NIESNER, and M. RÖHR: The Hydrothermal Degradation of Cellulosic Matter to Sugars and their Fermentative Conversion to Protein 2083

T. E. NOWLIN, A. J. UNGERMAH, and S. L. WALLACE: The Quantitative Determination of Oil in Impact Polystyrene 2095

T. OGAWA and T. INABA: Comments on Data Treatment in Gel Permeation Chromatography 2101

J. L. RACICH and J. A. KOUTSKY: Nodular Structure in Epoxy Resins 2111

M. P. NEDELCHEVA and G. V. STOILKOV: Polyethylenimine Adsorption by Cellulose .. 2131

E. R. WAGNER and B. L. JOESTEN: Halogen-Modified Impact Polystyrenes: Quantification of Preflame Phenomena 2143

S. MORI: Correction Method for a Concentration Effect in the Calculation of Molecular Weight Averages from GPC Chromatograms 2157

M. KODAMA: Mechanical Dispersion of Crosslinked Polymers Reinforced with Randomly Distributed Short Fiber 2165

D. F. LAWSON: Investigation of the Mechanistic Basis for Ferrocene Activity During the Combustion of Vinyl Polymers 2183

M. TAKANO and L. E. NIELSEN: The Notch Sensitivity of Polymeric Materials 2193

B. ALINCE, M. INOUE, and A. A. ROBERTSON: Latex-Fiber Interaction and Paper Reinforcement 2209

K. MATSUZAKI and T. KANAI: Polymer Structure Formed in Radiation-Induced Graft Polymerization. II 2221

L. D. TAYLOR and P. MCLAUGHLIN: Preparations and Reactions of Quaternary Salts of Bis(chloromethyl) Ether 2225

B. J. MEHTA and N. KRISHNASWAMY: Studies on α-Pinene–Furfural-Based Cation Exchange Resins. I. Preparation of Polymeric Compositions and Resins 2229

B. J. MEHTA and N. KRISHNASWAMY: Studies on α-Pinene–Furfural-Based Cation Exchange Resins. II. Characterization and Equilibrium Studies 2239

E. SZÖCS and M. KLIMOVÁ: Stabilization Effect of Pressure on Free Radicals in Irradiated Polyacrylonitrile 2249

C. E. CARRAHER, JR., S. JORGENSEN, and P. J. LESSEK: Synthesis of Oligomeric Group IVA Ferrocene Polyesters 2255

M. R. AMBLER: The Ultrafiltration of Solutions of Polymers Containing Microgel 2259

W. INGAMELLS and K. V. NARASIMHAM: The Effect of Phenol and Biphenyl on the Properties of Poly(ethylene Terephthalate) Film 2271

G. CIGNA, S. MATARRESE, and G. F. BIGLIONE: Effect of Structure on Impact Strength of Rubber-Reinforced Polystyrene 2285

NOTES

P. K. CHIDAMBARESWARAN, N. B. PATIL, and V. SUNDARAM: Order in Cellulose Fibers 2297

D. B. SCULLY: Scale-Up in Suspension Polymerization 2299

Y. MIZUTANI, K. KUSUMOTO, and T. NISHIMURA: Osmotic Concentration by Using Reverse Osmosis Membranes 2305

ERRATUM

J. H. REINSHAGEN and R. W. DUNLAP: The Influence of Structure and Processing Conditions on Engineering Mechanical Properties in Bulk Crystallized Isotatic Polypropylene 2311

ISSUE NO. 9, SEPTEMBER

H. T. LOKHANDE: Deuteration of Cotton Fibers. I. Partially Decrystallized Celluloses 2313

H.-D. WEIGMANN and A. S. RIBNICK: Pulse Propagation in Polyester–Solvent Systems 2321

A. K. KULSHRESHTHA, V. P. CHUDASAMA, and N. E. DWELTZ: Analysis of Cotton Fiber Maturity. II. Glycerol Retention Value of Cotton 2329

J. H. HODGKIN: Polyimide Model Compounds 2339

W. B. ACHWAL, S. M. JOSHI, and S. R. KARMAKAR: Studies in Swelling of Cotton. I. Neutral Salt Technique to Determine the True Swelling Parameters in Cadoxen 2347

K. KISHORE, V. R. PAI VERNEKER, and M. N. R. NAIR: Thermal Degradation of Polystyrene 2355

J. H. LAI and L. SHEPHERD: An Investigation of the Effects of the Molecular Weight Distribution on the Sensitivity of Positive Electron Resists 2367

I. CABASSO, E. KLEIN, and J. K. SMITH: Polysulfone Hollow Fibers. I. Spinning and Properties 2377

K. B. ABBÅS and E. M. SÖRVIK: On the Thermal Degradation of Poly(vinyl Chloride). IV. Initiation Sites of Dehydrochlorination 2395

M. M. KAMEL and A. HEBEISH: Behavior of Cellulose Grafted with (Polymethyl Methacrylate) and Polyacrylonitrile Toward Some Direct and Reactive Dyes 2407

G. AKOVALI, K. BILIYAR, and M. SHEN: Gradient Polymers by Diffusion Polymerization 2419

S. SHIRAISHI, M. SENŌ, M. ISHII, and T. ASAHARA: Photodegradable Polymers. II. Preparation of Styrene Copolymers with Alkyl and Phenyl β-Styryl Ketones and Their Photodegradability 2429

G. PISTOIA, A. RICCI, and M. A. VOSO: Electroinitiated Polymerization of Methyl Methacrylate in Aqueous Sulfuric Acid 2441

K. KATO: Investigation of High-Density Polyethylene Film Surface Treated with Chromic Acid Mixture by Use of 2,4-Dinitrophenylhydrazine 2451

H. C. MALHOTRA and AVINASH: Kinetics of the Acid-Catalyzed Phenol–Formaldehyde Reaction 2461

A. ADICOFF and R. YEE: Conversion Factors in Dilatometric Data of Polymerization Reactions 2473

D. M. SOIGNET, R. J. BERNI, and R. R. BENERITO: Electron Spectroscopy for Chemical Analyses (ESCA)—A Tool for Studying Treated Textiles 2483

J. LYNGAAE-JØRGENSEN: The Viscosity of Monomolecular Melts of Poly(vinyl Chloride) 2497

Y. IDE and J. L. WHITE: The Spinnability of Polymer Fluid Filaments 2511

R. G. HAUSERMAN and M. JOHNSON: Diffusion of Stabilizers in Polymers. III. 2,4-Dihydroxybenzophenone and 2-Hydroxy-4-Octoxybenzophenone in Polyurethanes 2533

D. G. BRADY: The Crystallinity of Poly(phenylene Sulfide) and Its Effect on Polymer Properties 2541

NOTES

N. S. ALLEN, J. HOMER, and J. F. MCKELLAR: Luminescence from Thermally Oxidized Polypropylene in Relation to Its Light Stability 2553

H. G. SPENCER and J. A. BARRIE: Determination of Diffusion Constants by Sorption of Solute from a Constant, Finite Volume 2557

Y. KIKUCHI and A. NODA: Polyelectrolyte Complexes of Heparin with Chitosan 2561

S. E. SHALABY, E. ALLAM, N. Y. ABOU-ZEID, and A. M. BAYZEED: Graft Copolymerization of 2-Methyl-5-vinylpyridine onto Poly(ethylene Terephthalate) Fibers 2565

J. S. VRENTAS and J. L. DUDA: On Relationships Between Diffusion and Friction Coefficients 2569

R. MUKHOPADHYAY, S. K. DE, and S. BASU: Effect of Metal Concentration on the Electrical Conductivity and Some Mechanical Properties of Poly(methyl Methacrylate)–Copper Composites 2575

V. M. GOLDBERG: Comments on the Paper by J. B. Lawrence and N. A. Weir, "The Kinetics of Atactic Polystyrene Oxidation in Solution" 2581

K. SAKOTA and T. OKAYA: Polymerization Behavior of Carboxylic Monomers in the Preparation of Carboxylated Latexes 2583

A. L. WOODMAN, D. W. MOORE, and A. ADICOFF: Degelation of Aluminum Soap–Hydrocarbon Gels 2589

T. MURAYAMA: A New Method for the Measurement of Dynamic Compression Mechanical Properties of Materials with a Rheovibron Viscoelastometer 2593

H. OGATA, T. MASUMI, and H. KUSAKAWA: Mechanical Properties of CdS–Binder Resin Electrophotographic Plates 2597

C. S. PAIK SUNG, J. BUSH, D. B. MCKIE, and E. W. MERRILL: Copolymers Containing Aminohexyl Residues in Side Chains for Attaching Heparin 2603

B. W. BRODMAN, M. P. DEVINE, and S. SCHWARTZ: Hydrogen Bonding of HMX and RDX to Unesterified Hydroxyl Groups in Nitrocellulose 2607

C. D. HAN and Y. W. KIM: Further Observations of the Interface Shape of Conjugate Fibers 2609

ISSUE NO. 10, OCTOBER

D. S. KAPLAN: Structure–Property Relationships in Copolymers to Composites: Molecular Interpretation of the Glass Transition Phenomenon 2615

A. HEBEISH: New Catalyst System for Easy-Care Cotton Finishing 2631

A. B. MOUSTAFA, N. A. GHANEM, and A. A. ABD-EL-HAKIM: Polymerization of Methyl Methacrylate in Water in Presence of the Metal Oxides TiO_2 and Cu_2O 2643

T. L. WARD and R. R. BENERITO: Plumbite-Treated Cotton in Formation of Glassy Materials 2653

H. P. SCHREIBER, Y. B. TEWARI, and M. R. WERTHEIMER: Polymer Composites Containing Plasma-Treated Mica. I. Flow and Mechanical Properties 2663

M. R. WERTHEIMER, L. PAQUIN, and H. P. SCHREIBER: Polymer Composites Containing Plasma-Treated Mica. II. Dielectric Properties 2675

L. MORBITZER, D. KRANZ, G. HUMME, and K. H. OTT: Structure and Properties of ABS

Polymers. X. Influence of Particle Size and Graft Structure on Loss Modulus Temperature Dependence and Deformation Behavior 2691

B. H. BERSTED: A Model Relating the Elastic Properties of High-Density Polyethylene Melts to the Molecular Weight Distribution 2705

E. F. JORDAN, JR., B. ARTYMYSHYN, G. R. RISER, and A. N. WRIGLEY: Polyblends. I. Mechanical Properties of Polyblends of Butadiene–Acrylonitrile Elastomers and Copolymers of Vinyl Stearate and Vinyl Chloride 2715

E. F. JORDAN, JR., B. ARTYMYSHYN, G. R. RISER, and A. N. WRIGLEY: Polyblends. II. Isochronal Viscoelastic Parameters for Polyblends of Butadiene–Acrylonitrile Elastomers and Copolymers of Vinyl Stearate and Vinyl Chloride 2737

E. F. JORDON, JR., B. ARTYMYSHYN, and G. R. RISER: Polyblends. III. Correlation of the Viscoelastic Data for Polyblends of NBR and Plasticized Vinyl Chloride Compositions with Theories of Polycomposite Behavior 2757

G. FINK, R. ROTTLER, D. SCHNELL, and W. ZOLLER: Elementary Steps in Ziegler-Natta Catalysis 2779

J. SUZUKI, H. NAKAGAWA, and H. ITO: Study on Ozone Treatment of Water-Soluble Polymers. II. Utilization of Ozonized Polyethylene Glycol by Bacteria 2791

J. KUBÁT, M. RIGDAHL, and R. SELDÉN: Internal Stresses and Activation Volumes from the Stress Relaxation Behavior of Polyethylene at Low Deformations 2799

K. SAKOTA, K. OKUNO, T. OKAYA, and S. TSUCHIYA: Oxidation behavior of Isoprene/Styrene Copolymer and Butadiene/Styrene Copolymer 2811

K. MATSUDA, Y. TANAKA, and T. SAKAI: Effect of Perchloric Acid on the Molecular Weight and Yield of Poly-THF 2821

N. INAGAKI, S. NAKAMURA, H. ASAI, and K. KATSUURA: Phosphorylation of Cellulose with Phosphorous Acid and Thermal Degradation of the Product 2829

W. TSUJI, A. HIRAI, and M. HOSONO: Highly Accessible or Decrystallized Cotton by Chemical Methods 2837

M. KODAMA: Effects of Cyclic Loading on the Dynamic Viscoelastic Properties of Crosslinked Polymers Reinforced with Randomly Distributed Short Glass Fiber 2853

S. M. AHARONI: Molecular Stiffness and Thermal Properties of Polymers 2863

C. W. ZVANUT and F. RODRIGUEZ: Collagen as a Biomaterial: Modulus Jump and Degradation of Collagen Gels 2871

Y. AOKI and J. O. BRITTAIN: Thermally Stimulated Discharge Current Studies on Low-Temperature Relaxations in Polycarbonate 2879

R. R. COUSINS: A Theory for the Impact Behavior of Rate-Dependent Padding Materials 2893

NOTES

Y. W. KIM and C. D. HAN: Rheological Properties and Microstructure of Multiphase Polymeric Systems 2905

C. D. HAN and Y. W. KIM: Use of the Coextrusion Technique for Producing Flame-Retardant and Antistatic Fibers 2913

Information for Contributors 2919

ISSUE NO. 11, NOVEMBER

B. C. BARKAKATY: Some Structural Aspects of Sisal Fibers 2921

R. BATES: Studies in the Nature of Adhesive Tack 2941

H. S. BLAIR and M. J. MCELROY: The Dyeing of Secondary Cellulose Acetate. Investigation of the Surfaces of Dyed Fibers by Low-Temperature Nitrogen Adsorption 2955

T. OUHADI, C. STEVENS, and PH. TEYSSIÉ: Study of Poly-ϵ-caprolactone Bulk Degradation 2963

M. PRINS and G. MAROM: Bromostyrene-Crosslinked Polyesters. I. Thermal Stability and Flame Retardancy 2971

M. MUSHKATEL and G. MAROM: Bromostyrene-Crosslinked Polyesters. II. Mechanical Properties and Weathering Stability 2979

P. C. CHRISTOPHER: Gel Permeation Chromatography Method for GPC System Definition and Performance Evaluation 2989

A. Y. CORAN and R. PATEL: Predicting Elastic Moduli of Heterogeneous Polymer Compositions 3005

R. Y. TING: Diameter Dependence of the Cutoff Molecular Weights of Drag-Reducing Polymers 3017

R. PHILLIPS: Carbon-13 Nuclear Magnetic Resonance Study of a Divinylbenzene–*p*-Cresol Oligomer Mixture 3025

E. L. LAWTON and T. MURAYAMA: Dynamic Mechanical Properties of Fibers in Liquid Media in Relation to Dyeing 3033

S. YAMAKAWA: Surface Modification of Polyethylene by Radiation-Induced Grafting for Adhesive Bonding. I. Relationship Between Adhesive Bond Strength and Surface Composition 3057

G. L. HAGNAUER and B. R. LALIBERTE: Poly[bis(*m*-chlorophenoxy)phosphazene]. Macromolecular Characterization and Degradation Studies 3073

N. S. SCHNEIDER, C. R. DESPER, and R. E. SINGLER: The Thermal Transition Behavior of Polyorganophosphazenes 3087

Y. J. SHUR and B. RÅNBY: Gas Permeation of Polymer Blends. III. Poly(vinyl Chloride) (PVC)/Chlorinated Polyethylene(CPE) 3105

Y. J. SHUR and B. RÅNBY: Gas Permeation of Polymer Blends. IV. Poly(vinyl Chloride) (PVC)/Acrylonitrile–Butadiene–Styrene (ABS) Terpolymer 3121

K. SAKOTA and T. OKAYA: Determination of Surface Basic Groups in Cationic Polystyrene Latexes 3133

V. A. SHENAI and M. C. SADHU: Studies in Dyeing. I. Effect of Crystal Modification of Disperse Dyes on their Dyeing Behavior 3141

D. G. BAIRD: Fluid Elasticity Measurements from Hole Pressure Error Data 3155

L. A. GUGLIEMELLI, C. L. SWANSON, W. M. DOANE, and C. R. RUSSELL: Latexes of Starch-Based Graft Polymers Containing Polymerized Acrylonitrile 3175

S. W. SHALABY, E. A. TURI, and E. M. PEARCE: Copolyamides of Caprolactam and *m*-Xylylenediammonium Isophthalate 3185

NOTES

Y. NOZAWA, F. HIGASHIDE, and T. KANAMOTO: Drug Release from and Properties of Polystyrene Microcapsules 3197

R. C. BURR, G. F. FANTA, W. M. DOANE, and C. R. RUSSELL: Graft Copolymers of Starch and Mixtures of Acrylamide and Acrlic Acid 3201

Y. KIKUCHI, Y. ONISHI, and M. KODAMA: Polyelectrolyte Complex of Sodium Dextran Sulfate with Polyethyleneimine 3205

ISSUE NO. 12, DECEMBER

K. KUSUMOTO, H. IHARA, and Y. MIZUTANI: Preparation of Macroreticular Anion Exchange Membrane and its Behavior Relating to Organic Fouling 3207

P. HUCZKOWSKI, J. KAPKO, and J. POLACZEK: Grafting of Ethyl α-Cyanacrylate on Poly(vinyl Alcohol) 3215

S. YANO, H. HATAKEYAMA, and T. HATAKEYAMA: Effect of Hydrogen Bond Formation on Dynamic Mechanical Properties of Amorphous Cellulose 3221

T. WADA, H. SEKIYA, and S. MACHI: Synthesis of High Molecular Weight Polyacrylamide Flocculant by Radiation Polymerization 3233

S. V. CARO, JR., C. S. P. SUNG, and E. W. MERRILL: Reaction of Hexamethylene Diisocyanate with Poly(vinyl Alcohol) Films for Biomedical Applications 3241

A. A. FARAG, H. A. FARAG, G. H. SEDAHMED, and A. F. EL-NAGAWY: Diffusion in Aqueous Polymer Solutions 3247

K. SAKOTA and T. OKAYA: Formation of Particles in the Preparation of Carboxylated Polystyrene Latexes 3255

K. SAKOTA and T. OKAYA: Effect of the Hydrophilic Nature of Growing Radicals on the Formation of Particles in the Preparation of Soap-Free Carboxylated Polystyrene Latexes 3265

R. P. KAMBOUR, J. E. CORN, S. MILLER, and G. E. NIZNIK: Tough, Transparent Heat- and Flame-Resistant Thermoplastics via Silicone Block-Modified Bisphenol Fluorenone Polycarbonate 3275

J. V. BENHAM and T. J. PULLUKAT: Analysis of the Types and Amounts of Carbonyl Species Present in Oxidized Polyethylene 3295

H. J. WRIGHT and K. E. HARWELL: Isocyanate Resins from Amide Copolymers 3305

S. HAKANO and Y. GOTO: Method for Correcting Molecular Weight from Gel Permeation Chromatography. II. Long-Chain Branching Correction of Low-Density Polyethylenes 3313

C. DECKER: Oxidative Degradation of Poly(vinyl Chloride) 3321

D. WHITING and D. E. KLINE: Internal Friction in Polymer-Impregnated Hardened Cement Paste 3337

D. WHITING and D. E. KLINE: Theoretical Predictions of the Elastic Moduli of Polymer-Impregnated Hardened Cement Paste and Mortars 3353

A. HIRAI, W. TSUJI, R. KITAMARU, and M. HOSONO: Structure of Decrystallized Cotton in Fabrics Prepared by Alkali and Acrylonitrile Treatments 3365

V. N. HANDLOS and K. A. SINGER: Gel Formation in Polymers Undergoing Radiation-Induced Crosslinking and Scission 3375

A. C. F. CHEN and H. L. WILLIAMS: Studies of Polymeric Systems for Absorbing Airborne Sound 3387

A. C. F. CHEN and H. L. WILLIAMS: Studies of Polymeric Systems for Damping Vibrations in the Sonic Range 3403

R. B. SEYMOUR and E. L. JOHNSON: The Effect of Solution Variables on the Solution of Cellulose in Dimethyl Sulfoxide 3425

N. NARKIS and M. NARKIS: Slow Release of Water-Soluble Salts from Polymers 3431

L. J. FETTERS: An Examination of the Dow and NBS 705 Polystyrene Standards via Gel Permeation Chromatography 3437

NOTES

P. K. CHIDAMBARESWARAN, S. SREENIVASAN, N. B. PATIL, V. SUNDARAM, and B. SRINATHAN: X-Ray Diffraction Studies on Cotton/Jute Blends 3443

A. HEBEISH, S. H. ABDEL FATTAH, and M. H. EL-RAFIE: Thiourea-Induced Graft Polymerization of Methyl Methacrylate onto Wool in Aqueous Acidic Medium 3449

B. E. FLEISCHFRESSER and G. N. FREELAND: Measurement of External Specific Surface Area of Fibers by Solution Adsorption 3453

ERRATUM

M. H. SADD and D. H. MORRIS: Rate-Dependent Stress-Strain Behavior of Polymeric Materials 3457

Author Index 3459

Subject Index 3471

Volume Title Page i

Volume Contents iii